

S

655
A5

UC-NRLF



⌘B 271 330

FARMYARD MANURE

*ITS NATURE, COMPOSITION, AND
TREATMENT*

C. M. AIKMAN

1/6

REESE LIBRARY
OF THE
UNIVERSITY OF CALIFORNIA.

Received APR 17 1893 189

Accessions No. 50973 *Class No.*





STANDARD AGRICULTURAL WORKS.

EDITED BY JAMES MACDONALD,
of the 'Farming World.'

COMPLETE IN THREE HANDSOME VOLUMES.

STEPHENS' BOOK OF THE FARM. Fourth Edition, Revised, and in great part Rewritten. With numerous Portraits of Animals and Engravings of Implements. The Three Volumes bound with leather back and gilt top, £3, 3s. Also in Six Divisional Volumes, strongly bound in cloth, price 10s. 6d. each.

"The most comprehensive work on practical farming ever written."—*Standard*.

"This new edition is beyond all praise."—*Daily Chronicle*.

"The standard work on everything relating to the farm."—*Scotsman*.

"The greatest work in existence on practical agriculture."—*Farmer*.

"In all matters relating to practical agricultural life, this work is, in the most comprehensive meaning of the term, encyclopædic, entertaining, and most reliable."—*Farmer*.

"The great merit of the book always was its attention to detail, and in this respect, we believe, it will be found more serviceable than ever."—*Agricultural Gazette*.

"The completed book literally constitutes a treasure-house for all engaged in our greatest national industry."—*Gloucester Chronicle*.

PRINGLE'S LIVE-STOCK OF THE FARM. Third Edition. Crown 8vo, 7s. 6d.

"It is a complete guide to the best practice in the breeding and management of horses and cattle, sheep and pigs, cows and poultry..... Even those whose experience is extensive may take useful hints."—*St James's Gazette*.

M'COMBIE'S CATTLE AND CATTLE-BREEDERS.
New Edition. With a Memoir of the Author. Crown 8vo, 3s. 6d.

"This very interesting book should be in the hands of every farmer, stock-owner, and stock-attendant."—*North British Agriculturist*.

WILLIAM BLACKWOOD & SONS, EDINBURGH AND LONDON.

NEW AGRICULTURAL WORKS.

FARMYARD MANURE:

ITS NATURE, COMPOSITION, AND TREATMENT.

By C. M. AIKMAN, M.A., B.Sc., F.R.S.E., F.I.C., F.C.S.,

Lecturer on Agricultural Chemistry, West of Scotland
Technical College; Examiner in Chemistry,
University of Glasgow, &c.

Crown 8vo. Limp cloth, 1s. 6d.

BY THE SAME AUTHOR.

SHORTLY WILL BE PUBLISHED.

SOILS AND MANURES.

In One Volume. Crown 8vo.

AN ENTIRELY NEW EDITION.

JOHNSTON'S CATECHISM

OF

AGRICULTURAL CHEMISTRY.

FROM THE EDITION BY SIR CHARLES A. CAMERON, M.D.,
F.R.C.S.I. REVISED AND ENLARGED BY C. M. AIKMAN,
M.A., B.Sc., &c. 92d Thousand. Crown 8vo, 1s.

IN PREPARATION.

AN ENTIRELY NEW EDITION.

JOHNSTON'S ELEMENTS

OF

AGRICULTURAL CHEMISTRY.

FROM THE EDITION BY SIR CHARLES A. CAMERON. REVISED AND
BROUGHT DOWN TO DATE BY C. M. AIKMAN, M.A., B.Sc.
Fcap. 8vo.

WILLIAM BLACKWOOD & SONS, EDINBURGH AND LONDON.

FARMYARD MANURE

Digitized by the Internet Archive
in 2007 with funding from
Microsoft Corporation

FARMYARD MANURE

*ITS NATURE, COMPOSITION, AND
TREATMENT*

BY

C. M. AIKMAN, M.A., B.Sc.

F.R.S.E., F.I.C., F.C.S.

LECTURER ON AGRICULTURAL CHEMISTRY, WEST OF SCOTLAND TECHNICAL COLLEGE;
EXAMINER IN CHEMISTRY, UNIVERSITY OF GLASGOW; CONSULTING CHEMIST
TO THE RENFREWSHIRE, LANARKSHIRE, ETC., AGRICULTURAL
SOCIETIES; AND HON. PRESIDENT OF WESTERN
INSTITUTE OF TEACHERS OF AGRICULTURE, ETC.



WILLIAM BLACKWOOD AND SONS
EDINBURGH AND LONDON
MDCCCXCII

S655
A5

50973

P R E F A C E.

THIS little work on 'Farmyard Manure' is in substance a chapter from a larger work on 'Soils and Manures' on which the author is at present engaged, and which he trusts to have ready for publication ere long. The subject is one of universal interest to the farmer, and no excuse is needed for offering to the agricultural public the following short treatise on the nature and composition of what is still the most important of all manures. In order to render the treatment of the subject as simple as possible, technical statements and tables embodying the results of experiments have been relegated to the Appendix. While the sources of much of the information contained in the following

pages are of too varied a nature to admit of acknowledgment, special reference may be made to Dr Heiden's 'Düngerlehre,' Dr Emil von Wolff's excellent little book, 'Die praktische Düngerlehre,' Storer's 'Agricultural Chemistry,' Stephens' 'Book of the Farm,' the Rothamsted Experiments, and lastly, to Mr Warington's excellent little handbook on 'The Chemistry of the Farm,' to the publishers of which—Messrs Vinton & Co., Limited—the author is indebted for permission to reprint in the Appendix several of its valuable tables.

CONTENTS.

	PAGE
PREFACE	v
INTRODUCTION--	
On what fertility of soil depends	xi
Function of manures	xiii
FARMYARD MANURE—	
Variation in its composition	1
Made up of three classes of constituents—	
<i>Solid excreta</i> —	
Its nature	2
Difference in composition of the solid excreta of the different farm animals	2
Causes of this difference	3
Percentage of manurial ingredients in solid excreta of different animals	4
<i>Urine</i> —	
Its nature	6
Variation in its composition	7
Causes of this variation	7
Manurial value of the urine of the different farm animals	8
Percentage of the <i>organic matter, nitrogen, and min- eral substances</i> in the food, voided in the solid excreta and urine	10

Comparison of manurial value of total excrements of the different farm animals	12
Nature of changes undergone by food in process of digestion	13
<i>Litter—</i>	
Its uses	14
<i>Straw</i> as litter, and its qualifications	14
Composition of different kinds of straw	15
<i>Loam</i> as litter	17
<i>Peat</i> as litter	17
Comparison of properties of <i>peat-moss</i> and <i>straw</i>	18
The <i>bracken fern</i> as litter	19
<i>Dried leaves</i> as litter	19
Manures produced by the different animals—	
<i>Horse-manure—</i>	
Amount produced	20
Its nature and composition	20
Amount of straw used for litter	20
Sources of loss on keeping	21
How to prevent loss	21
Use of “fixers,” and the nature of their action	23
<i>Cow-manure—</i>	
Amount produced	25
Its nature and composition	25
Amount of straw used as litter	25
Sources of loss on keeping	26
Advantages of <i>short dung</i>	26
<i>Pig-manure—</i>	
Amount produced	27
Its nature and composition	28
Amount of straw used as litter	28
<i>Sheep-manure—</i>	
Amount produced	28
Nature and composition	28
Amount of straw used as litter	29
Methods of calculating amount of manure produced on the farm	29, note

Fermentation of farmyard manure—	
Action of <i>micro-organic</i> life in producing fermentation	30
Two classes of <i>bacteria</i> active in this work, <i>aerobies</i> and <i>anaerobies</i>	31
Conditions influencing fermentation—	
<i>Temperature</i>	32
<i>Openness to the air</i>	32
<i>Dampness</i>	33
<i>Composition of manure</i>	33
Products of fermentation	34
Analyses of farmyard manure—	
Dr Voelcker's experiments	36
Variation in composition	36
Amounts of <i>moisture</i> , <i>organic matter</i> (containing <i>nitrogen</i>), and <i>mineral matter</i>	36
Its manurial value compared with <i>nitrate of soda</i> , <i>sulphate of ammonia</i> , and <i>superphosphate</i>	37
Comparison of fresh and rotten manure—	
The nature and amount of loss sustained in the process of <i>rotting</i>	37
Ought manure to be applied <i>fresh</i> or <i>rotten</i> ?	38
Relative merits of <i>covered</i> and <i>uncovered</i> manure-heaps	39
Methods of application of farmyard manure to the field—	
Merits and demerits of the different methods	41
Setting it out in <i>heaps</i>	42
Spreading it <i>broadcast</i> , and letting it lie	42
Ploughing it in immediately	43
Value and function of farmyard manure—	
As a supplier of the necessary elements of plant-food	44
As a "universal" manure	44
Proportion in which <i>nitrogen</i> , <i>phosphoric acid</i> , and <i>potash</i> are required by crops	45
Proportion in which they are present in farmyard manure	46
Farmyard manure <i>poor in nitrogen</i>	46
Lawes' and Gilbert's experiments	47

How it may be best reinforced by the use of "artificial"	47
Indirect value of farmyard manure as a supplier of <i>humus</i> to the soil	49
Its influence on soil-texture	49
Its influence in setting free inert fertilising matter in the soil	50
Rate at which farmyard manure ought to be applied	50
Lasting nature of farmyard manure	51
Its economic value	52

APPENDIX—

NOTE

I. Difference in amount of excreta voided for food consumed	53
II. Solid excreta voided by sheep, oxen, and cows	53
III. Urine voided by sheep, oxen, and cows	54
IV. Percentage of food voided in the solid and liquid excrements	55
V. Pig excrements	55
VI. Manurial constituents in 1000 parts of ordinary foods	56
VII. Analyses of stable-manure, made respectively with peat-moss litter and wheat-straw	57
VIII. Analyses of bracken	57
IX. Analyses of horse-manure	57
X. The nature of the chemical reactions of ammonia "fixers"	58
XI. Analyses of cow-manure	60
XII. Composition of fresh and rotten farmyard manure	60
XIII. Comparison of fresh and rotten manure	62
XIV. Lord Kinnaird's experiments	63
XV. Drainings of manure-heaps	64
XVI. Amounts of potash and phosphoric acid removed by the following rotations from a Prussian morgen ('631 acre)	64

INTRODUCTION.

THE tendency of modern times towards centralisation, the modern methods of sewage disposal and of cultivation, involving thorough drainage of our soils, and the so-called "intensive" cultivation of our crops, have all combined to render the function of manures at the present day of greater importance than ever before. While it is true the farmer is no longer—as he was a century ago—entirely dependent for his supply of manure on that produced on the farm, and while, therefore, farmyard manure can scarcely be looked upon as an absolute essential, inasmuch as it is a bye-product of the farm, and will always continue to be so, a thorough knowledge of its nature and composition must ever remain for the farmer and agricultural student of the highest importance.

The question of the fertility of the soil is a wide and complex one. It depends on many and various

circumstances and conditions. Apart altogether from the influence exerted by climate, latitude, altitude, and exposure, it may be said to be dependent on properties of a physical, chemical, and biological nature.

The first class of properties consist of the absorptive and retentive powers of the soil for water, gases, and heat. These properties depend on the proportion in which the so-called proximate constituents of a soil are present—such as gravel, sand, clay, humus, and lime—as well as on the size of the soil-particles, and on their colour. The chemical composition of the soil furnishes, however, the most important source of fertility. As the plant has to derive a portion of its food from the soil, the possession by the latter of the ingredients constituting this food is a fundamental condition of plant growth. A very small portion of the soil is directly concerned in promoting growth. Some of the necessary ingredients are apt to be lacking in sufficient amount, and it is in making good this want that the chief function of manures consists. The substances in which most soils are generally found to be deficient are *nitrogen*, *phosphoric acid*, and *potash*. Manures, therefore, are chiefly applied to make good this deficiency. While, however, this is so, manures, it must not be lost sight of, perform other and important

functions, and may be of value not merely because they supply to the soil nitrogen, phosphoric acid, or potash, but also because they exercise some influence on the soil's mechanical properties, or it may be, in preparing for the plants' use inert fertilising substances. The functions of a manure, therefore, may be very varied, and no manure exemplifies this to a greater extent than farmyard manure.



FARMYARD MANURE.

FARMYARD MANURE is the oldest, and is still, undoubtedly, the most popular, of all manures. It has stood the test of long experience, and has proved its position as one of the most important of all our fertilisers. It is highly desirable, therefore, to make a somewhat detailed examination of its composition, and to see on what the variation in this depends; and, finally, to examine into the mode of its action as a manure.

That it should prove a valuable manure is scarcely to be wondered at, as it is originally formed from vegetable substance, and as it, therefore, contains all the elements present in the plant itself.

Its composition is very variable, and probably no two samples would yield exactly similar analyses. In this fact lies one of the chief difficulties

of the treatment of the subject, and all statements made in the following pages as to its chemical composition must be taken as *only approximate*.

We may divide its constituents into three classes.

1. That portion due to *solid excreta*.
2. The liquid portion, largely made up of dilute *urine*.
3. The *straw*, or other material, which is used as litter.

The composition of the manure will vary according to the proportion in which these three substances are present, as well as according to the composition of the substances themselves. It will consequently tend to a clearer apprehension of the subject, if we first examine briefly the chemical composition of the solid excreta and urine of the farm animals.

1. Solid Excreta.—The manurial value of the solid excreta of animals—*i.e.*, the proportion they contain of *nitrogen*, *phosphoric acid*, and *potash*—depends on a variety of conditions.

The solid excreta of horses, sheep, cows, and pigs, are well known to possess different properties, as well as to vary in their composition.

What, however, has a still greater influence is the nature of the food. This is owing to the fact that the solid excreta is made up of undigested food. We can scarcely expect the same quality of solid excreta from an animal fed on poor diet as from an animal fed on very much richer diet. Again, the

percentage of the food voided in the solid excreta varies in the case of different animals.¹

Another consideration which enters into the question is the age, as well as the treatment, of the animal. A young animal, during the period of its growth, absorbs from its food into its system a larger quantity of the three fertilising substances, nitrogen, phosphoric acid, and potash, than is the case with an adult animal whose weight is neither increasing nor diminishing. A working horse similarly will return more of the nitrogen, phosphates, and potash in its dung than one not at work, and which is permitted to gain in weight. The nature of the composition of the solid excreta, therefore, will depend on the nature of the *food, age, breed, condition, and treatment* of the animal.

Let us now investigate shortly the influence of the above considerations. The solid excrements of the common farm animals are generally distinguished from one another according to the rate at which they decompose or ferment on keeping. Thus horse-dung is generally known as a "hot" dung, while cow-dung, on the other hand, is known as "cool." Why this should be so is not absolutely clear. Probably it is owing to the fact that the former contains less water, as well as (and this probably has more to do with it) to the fact that it contains a larger percentage of fertilising matter, especially nitrogen, thus affording conditions

¹ See Appendix, Note I., p. 53.

more favourable for rapid fermentation than in the case of the more moist and less rich cow-dung.

The composition of the solid excreta of various animals, as we have just said, varies with the nature of their food; so that it is impossible to take any analyses as absolutely representing its composition. It may be interesting, however, to compare the analyses of samples of horse-dung with those of some other of the commoner farm animals, with a view to obtaining an *approximate* idea of this difference.

Stoeckhardt has found that in 1000 lb. of the fresh solid excreta of the animals below mentioned, there were the following amounts of *nitrogen*, *phosphoric acid*, and *alkalies*:—

	WATER.		NITROGEN.		PHOSPHORIC ACID.		ALKALIES.	
			lb.	per cent.	lb.	per cent.	lb.	per cent.
	Re-duced to	Re-duced to						
Horses (winter food) . .	760	76	5	.50	3½	.35	3	.30
Cows (winter food) . .	840	84	3	.30	2½	.25	1	.10
Swine (winter food) . .	800	80	6	.60	4½	.45	5	.50
Sheep (2 lb. hay per diem) .	580	58	7½	.75	6	.6	3	.30

From the above table it will be seen that the sheep's dung contains the least percentage of *water*, and is richer in *nitrogen* and *phosphoric acid* than any of the other three. The percentage of alkalies, of which the most important is potash, is, however, not so large.

This may be accounted for by the interesting and well-known fact that a large percentage of potash is to be found in the wool of sheep.¹

The solid excrement of the sheep is, therefore, weight for weight, the most valuable as a manure, as it contains more nitrogen and phosphates than the others, and, at the same time, is much drier.

If, however, we compare the composition of the solid excreta in a dry state, we shall find that the following are the results (basing our calculation on Stoeckhardt's analyses):—

	Nitrogen, per cent.	Phosphoric acid, per cent.	Alkalies, per cent.
Horse . . .	2.08	1.45	1.25
Cow . . .	1.87	1.56	0.62
Pig . . .	3.00	2.25	2.50
Sheep . . .	1.78	1.42	0.71

It will be seen from the above that the dry substance of the solid excreta of the pig is richest in fertilising substances. Too much stress, however, as has already been pointed out, must not be put on any single analysis, as so much depends on various conditions, especially the food.² The most reliable method of studying this question, therefore, is to study it in its relation to the food consumed. Wolff has calculated from numerous investigations that,

¹ "The large amount of potash in unwashed wool is very remarkable; a fleece must sometimes contain more potash than the whole body of the shorn sheep."—Warington's 'Chemistry of the Farm,' p. 78.

² See Appendix, Note II., p. 53.

with regard to the amount of solid excreta produced by the food, the following percentage of *organic matter*, *nitrogen*, and *mineral substances*, originally present in the dry matter of the food, is voided in the dung:—

	Cow.	Ox.	Sheep.	Horse.	Average.
Organic matter . . .	39.5	42.5	44.0	44.1	42.5
Nitrogen	47.5	33.9	46.7	32.4	40.1
Mineral substances	53.9	64.6	57.9	62.5	59.7

There is one fact to be borne in mind in estimating the manurial value of the dung of different animals—viz., that the quantity of dung voided by one animal is much greater than that voided by another. Thus the amount voided by the cow, for example, is much greater than that voided by the horse, so that, in this way, the inferior quality of the former is, to some extent, compensated for by its greater quantity.

2. Urine.—The solid excreta possess, however, very much less manurial value than the urine. The former, as already stated, are undigested food substances; any fertilising matters which they contain are such as have failed to be digested or absorbed into the animal system. The urine, on the other hand, contains those fertilising substances which have been digested.

The amount of nitrogen and mineral matter, however, in the urine does not represent necessarily the total amount of these substances. Thus, in the case of a growing or fattening animal, there is always a certain amount of these substances being absorbed to build up the animal tissue and put on flesh.

In this respect it will be seen that the composition of urine will vary in the same way as that of the dung does. In the case of the urine, however, there is a compensating influence to be taken into account. Urine is a waste product, and there is more waste in a young than in an adult animal.

Another very important condition which determines the composition of urine, is the nature of the food, especially the quantity of water drunk. This, of course, is obvious; the more water drunk, the poorer must the composition of the urine be. But here again, as in the case of the dung, this is largely compensated for by the total quantity voided—the more dilute the urine, the larger will its quantity be; so that the inferior quality is in this way made up for by its increased quantity.

Keeping in mind, then, the fact we have just stated—viz., that the composition of urine will vary according to different conditions—we may obtain an approximate idea of what its composition is from the following results of analyses by Stoeckhardt. In 1000 parts the following quantities of *water*, *nitrogen*, *phosphoric acid*, and *alkalies* were found to be present.

From the following table it will be seen that the urine of swine (containing 97 per cent of water) is much poorer in nitrogen and alkalies than is the case with the urine of the sheep, horse, or cow. While this is the case, the amount of phosphoric acid it contains is greater than that contained in the sheep's urine.

	WATER.		NITROGEN.		PHOSPHORIC ACID.		ALKALIES.	
	Per 1000 parts.	Per cent.	Per 1000 parts.	Per cent.	Per 1000 parts.	Per cent.	Per 1000 parts.	Per cent.
Sheep (2 lb. hay per diem) }	865	86.5	14	1.4	.5	.050	20	2.0
Swine (winter food)	975	97.5	3	.3	1.25	.125	2	.2
Horses (hay and oats) }	890	89.0	12	1.2	15	1.5
Cows (hay and potatoes) }	920	92.0	8	.8	14	1.4

Phosphoric acid is present in the urine of the farm animals in the most minute traces; practically, it may be considered to be wanting in the urine of the horse and the cow, and is present only in small quantities in sheep's urine. The pig's urine, indeed, contains it in larger quantities, but the percentage is still so small as to justify the statement that the urine of the common farm animals is not a complete manure, and must be supplemented by phosphates, if it is to be used alone. The incomplete nature of urine as a manure constitutes a strong argument in favour of its being applied along with the solid excreta, which contain, as we have seen, considerable quantities of phosphoric acid. It is on this account that the drainings of rotten manure-heaps are more valuable, from a manurial point of view, than urine itself, since these contain the soluble portion of the phosphates in the solid excreta.¹ The urine of all animals, however,

¹ See Appendix, Note XV., p. 64.

is not equally poor in phosphates. In the case of flesh-eating animals, such as the dog, the urine is found to contain them in considerable quantities.

The above tables show that the most valuable urine, weight for weight, is that of the sheep, as it contains the largest amount of alkalies (including potash) and nitrogen; that the urine of the horse comes next; then that of the cow; while, as has already been pointed out, that of the pig is the poorest.

In order to make our survey of the composition of urine uniform with that of the dung, let us see how the urine of the common farm animals compares in the matter of the composition of its dry substance. The following results (basing our calculations on Stoeckhardt's figures, previously given) show this:—

	Nitrogen, per cent.	Phosphoric acid, per cent.	Alkalies per cent.
Pig . . .	12.0	5	8
Horse . . .	10.9	trace	13.6
Sheep . . .	10.4	3.7	14.9
Cow . . .	10.0	trace	17.5

From these figures we see that the dry substance of the urine of the pig is richest in nitrogen and phosphoric acid, but poorest in alkalies, of the four common farm animals; that of the horse comes next in the amount of nitrogen it contains, but that, on the whole, there is very little difference between the horse, cow, and sheep in this respect.¹

As in the case of the dung, this subject is best studied in relation to the food consumed. We are

¹ See Appendix, Note III., p. 54.

again indebted to Wolff's investigations for valuable information on this point. He has found that the following percentages of *organic matter*, *nitrogen*, and *mineral substances*, originally present in the dry matter of the food, are voided in the urine:—

	Cow.	Ox.	Sheep.	Horse.	Average.
Organic matter	4.0	4.4	2.0	3.3	3.4
Nitrogen	31.0	54.8	42.3	60.7	47.2
Mineral substances	43.1	34.3	41.0	37.5	39.0

We have now considered briefly the composition of the solid excrements and urine of the common farm animals, and have also enumerated some of the principal causes of the variation in their composition.

The solid excreta consist, as we have seen, of *undigested* food, while the urine contains the manurial ingredients of the food which have been *digested* by the animal system.¹ The latter is, weight for weight, as a rule, very much more valuable as a manure than the former. From the table given in the Appendix² it will be seen that the proportions of the nitrogen and ash constituents, originally present in the food consumed, which are voided in the excrements, vary with different circumstances. Wolff, in summarising his results, points out that, as a rule, the solid and liquid excrements will contain about 46 per cent of

¹ The nitrogen present in the urine, it may be well to point out, is derived from the waste of nitrogenous tissue as well as from nitrogenous matter of the food digested.

² Note IV., p. 55.

the organic matter, 87.3 of the nitrogen, and 98.7 of mineral matter; while Warington, in summarising his results, points out that, with fattening oxen and sheep and with horses, more than 95 per cent of the nitrogen and 96 per cent or more of the ash constituents are voided in the manure. The pig retains a larger proportion of the nitrogen—about 85 per cent appearing in the manure—while in the milking cow only about 75 per cent are returned in the excrements. Generally speaking, we may say that the nitrogen originally present in the food suffers very little loss in passing through the animal system, and that practically speaking the ash constituents suffer no loss whatever.

As to the distribution of the manurial ingredients, much will depend on the nature of the food. Almost invariably more than a *half* of the total nitrogen excreted will be found in the urine, in many cases very much more.¹ Of the mineral constituents, about a third on the average may be said to be excreted in the urine. Of this mineral matter it may be noted that nearly all the alkalies (potash and soda), or about 98 per cent, are found in the urine. Of phosphoric acid and lime, on the other hand, there are the merest

¹ Warington puts this matter admirably in the following words: "If the food is nitrogenous and easily digested, the nitrogen in the urine will greatly preponderate; if, on the other hand, the food is one imperfectly digested, the nitrogen in the solid excrement may form the larger quantity. When poor hay is given to horses, the nitrogen in the solid excrement will exceed that contained in the urine. On the other hand, corn, cake, and roots yield a large excess of nitrogen in the urine" (Chemistry of the Farm, p. 137).

traces in the urine. Horse-urine, however, is an exception with regard to lime, as it contains about 60 per cent of the lime consumed in the food. For information on the subject of pig-manure the reader is referred to Appendix, Note V.¹

Before passing from this part of the subject, it may be desirable to place before our readers the composition of the dung and urine taken together, so that we may be able to form some idea of their relative value, weight for weight. As the nitrogen constitutes by far the most valuable portion of the manurial ingredients, it will be sufficient if we compare them as to their percentage of this ingredient.

	Water, per cent.	Nitrogen, per cent.	Calculated on dry substance, per cent.	Analyses by
Sheep . . .	67	.91	2.7	Jürgensen.
Horse . . .	76	.65	2.7	Boussingault.
Pig	82	.61	3.4	Boussingault.
Cow	86	.36	2.6	Boussingault.

From these figures we see that, in their natural condition, the excreta of the sheep are the most valuable; those of the horse and pig coming next; while those of the cow are the poorest, containing one-third as much nitrogen as those of the sheep, and one-half as much as those of the horse and pig. This difference, however, is due almost entirely to the different percentage of water the excreta of the various animals contain in their natural state; for in the dry state they are seen to contain, with the single exception of the pig, practically the same amount.

¹ See p. 55.

✓ In conclusion, then, the important points to be noticed are—

1. That in the passage of the food through the system of the common farm animals, only a very small percentage of the fertilising substances, nitrogen, phosphoric acid, and potash, is assimilated and retained in the animal body; and that, therefore, theoretically at least, the excreta should contain nearly the same amount of fertilising matter as the food originally did.

2. That even in the case of a fattening animal, the loss of fertilising matter sustained by the food in passing through the system is not great.

3. That with regard to the total amount of solid excreta and urine voided, the latter contains, as a rule, more nitrogen than the former; the nitrogen in the urine, further, being more valuable, as it is in a soluble condition.

4. That as regards the distribution of the ash constituents, *lime*, *phosphoric acid*, and *magnesia* are almost entirely found in the solid excrements; while the urine contains nearly all the *potash*.

5. That the best results can be expected only when the liquid and solid excreta are used together as a manure.

As the composition of the manure depends so largely on the nature of the food, a table will be found in the Appendix, Note VI.,¹ containing the manurial composition of some of the commoner feeding-stuffs.

¹ See p. 56.



3. Litter.— We have now to consider the third constituent of farmyard manure — viz., the *litter* — which generally consists of straw.

The uses of the litter, in addition to providing a dry and comfortable bed for the animal, may be briefly summed up as follows:—

1. To absorb and retain the liquid portion of the excreta.

2. To increase the quantity of the manure, and thus secure its more equal distribution, when applied to the field, than could otherwise be done.

3. To add to its value as a manure, both physically and chemically.

4. To retard and regulate the decomposition of the excreta.

Of course litter also performs a very useful function sanitarily, inasmuch as it serves to keep the stall or byre fresher and cleaner and more free from noxious gases, which it absorbs, than would otherwise be the case.

Straw is almost universally used for this purpose. Besides being one of the by-products of the farm, it is admirably suited in many ways, both owing to its peculiar shape—its tubular structure being admirably adapted for this purpose—as well as on account of its composition, being largely composed of cellulose, a very absorptive substance. Straw thus possesses considerable absorptive power. In manurial ingredients it is not very rich; for, of the various parts of the ripened

plant, straw contains the least percentage of nitrogen and phosphates. This is due to the fact that, as the straw ripens, a considerable proportion of these ingredients pass up from the stalk to the seeds, where they are retained.

Generally speaking, straw may be said to contain not more than *a half per cent* of nitrogen—*i.e.*, 11.2 lb. per ton. Its percentage of nitrogen varies, of course, the recorded analyses¹ for wheat-straw ranging from .22 to .81 per cent, or furnishing an average of .48 per cent—*i.e.*, 10.75 lb. per ton. Barley-straw is somewhat richer in nitrogen, the recorded analyses ranging from .41 to .85 per cent, or giving an average of .57 per cent—*i.e.*, 12.76 lb. per ton; while oat-straw is the richest of the commoner straws, ranging from .32 to 1.12 per cent, an average of .72 per cent—*i.e.*, 16.12 lb. per ton.

Of mineral matter, however, straw contains a very much larger percentage, proportionally, than of nitrogen; for, with the exception of phosphates, there is a considerable quantity of inorganic fertilising matter, in the shape of potash, lime, &c., present in it. Of total ash ingredients, on an average, there are generally about 5 per cent—or 112 lb. per ton. The largest percentage of the fertilising matter in these 5 per cent is potash, which varies in the ashes of the straws of the commoner crops from 30 to 15 per cent. The following table will show the variation in com-

¹ See Heiden's *Düngerlehre*, vol. ii. p. 58.

position of the straws of some of the commoner farm crops, and may be valuable for purposes of reference. The crops are wheat (winter and summer), barley, oats, and rye (winter and summer), and the amount is also calculated in lb. per ton. The results represent the average of a number of analyses.¹

COMPOSITION OF STRAW.²

	ASH.		COMPOSITION OF ASH.			Number of Analyses.
	Per cent.	Lb. per ton.	Lb. per ton.			
			Potash.	Phosphoric Acid.	Lime.	
Wheat (winter) . . .	5.54	124.09	18.61	5.05	7.18	8
Wheat (summer) . . .	5.14	115.13	25.76	6.47	7.12	6
Rye (winter)	5.33	119.39	20.61	5.89	9.73	8
Rye (summer)	6.14	137.53	42.41	6.73	10.53	1
Barley	4.90	109.76	26.83	5.75	8.73	8
Oats	5.09	114.01	26.22	4.17	9.12	4

From this table it will be seen that the percentage of phosphates is, as has already been noticed, very small.

¹ The following quantities of nitrogen are found in rye, pea, and bean straw :—

	Ranging from per cent.	Average per cent.	Lb. per ton.
Rye-straw30 to .73	.57	12.76
Pea-straw76 to 1.61	1.21	27.10
Bean-straw	1.15 to 2.62	1.92	43.00

² Heiden's Düngerlehre, vol. i. p. 404.

But while straw is well adapted for the purposes that litter is used for, it is not the only substance. Its almost exclusive use as litter is largely owing to the fact that it is a bye-product of the farm.

Loam as litter.—Generally speaking, any substance which has great absorptive as well as retentive powers for nitrogen and the soluble fertilising matters present in farmyard manure, and whose price is nominal, is well suited for acting as litter. Ordinary loamy soil possesses the above qualifications, and is, moreover, a substance to be had for nothing, and, under certain circumstances and in certain countries, is actually used for this purpose, often along with straw. A great objection against loam, however, is that it forms a dirty litter; it, moreover, possesses a very small percentage of fertilising matter. The tendency, therefore, in using ordinary loam would be to dilute the manure too much, besides retarding fermentation to an undesirable extent. Except, therefore, under very exceptional circumstances, loam is not to be regarded as a good litter.

Peat as litter.—Some kinds of soil, however, are well suited for this purpose. Of these, the best are those rich in organic matter, the so-called peaty soils. Peat, when dried and freed from any earthy matter, forms an excellent absorbent of the liquid portion of the manure, surpassing, in this respect, straw itself. It is, further, generally very much richer in nitrogen—some

peats having been found to contain between 4 and 5 per cent of nitrogen. In some thirty samples of peat, analysed by Prof. S. W. Johnson, the percentage of nitrogen varied from .4 to 2.9 per cent, giving an average of 1.5 per cent.

While it has a very great capacity for absorbing liquids, it possesses, in an unequalled degree, the power of retaining the soluble nitrogen compounds. This is undoubtedly one of the most important properties which recommend peat for the purposes of litter.

Some interesting experiments on the value of peat-moss as a litter have been recently carried out by Mr Bernard Dyer.¹ From these experiments Mr Dyer has found that both its liquid-absorbing and liquid-retaining powers are very much greater than those of straw. While straw was only able to absorb three times its weight of water, peat-moss was found to absorb nearly ten times its weight. With regard to its water-retaining power, this was also found to be in excess of that of straw. Both these properties are, it need scarcely be pointed out, of very great value in a litter. Another point of interest in these experiments was the respective amounts of nitrogen absorbed and retained by the peat-moss and the straw. It was found that, in this respect, the peat-moss had again an advantage over the straw. Lastly, the manure produced by the peat-moss was shown to be richer in fertilising

¹ See 'Mark Lane Express,' October 7, 1889, p. 475.

matter than that produced by the use of straw.¹ These experiments are interesting as demonstrating the fact that in peat-moss we have a substance which is capable of acting as an excellent substitute for the more costly straw, which might increasingly be used as a fodder, with great benefit to the farmer.

Another substance which has been suggested as an excellent litter is the common *bracken fern*. According to some analyses made by Mr John Hughes, the bracken, especially if cut in a young state, is a substance of considerable manurial value. When dried it is very much richer in nitrogen, potash, and lime than straw. Its absorbent properties, however, are probably not so great. Where it can easily and cheaply be had, as in many parts of Scotland and Ireland, it might well be used for littering purposes.²

Dried leaves have also been used as a litter. Autumn leaves, however, contain a very small percentage of fertilising matter. This is due to the fact that the most of their potash, phosphoric acid, and nitrogen pass into the body of the trees at the approach of winter. According to Professor Storer, dried leaves only contain from .1 to .5 per cent potash, .006 to .3 per cent phosphoric acid, and about .75 per cent of nitrogen. Leaves, however, besides being poor in manurial ingredients, make a bad litter, as they ferment but slowly. There is in this fermentation a

¹ See Appendix, Note VII., p. 57.

² For analyses see Appendix, Note VIII., p. 57.

large quantity of cold sour humic acid formed, which seriously impairs the value of the manure.¹

Having now considered the composition of the three separate ingredients of farmyard manure—viz., the *dung* or *solid excreta*, the *urine*, and the *litter*—we are in a position to consider the composition of farmyard manure. In this connection it will be well to consider separately the manures produced by the different farm animals.

✓ **1. Horse-manure.**—The composition of horse-manure is perhaps the most uniform of all the manures produced by the different farm animals. This is due to the fact that the food of the horse is generally of the same kind, consisting of oats, hay, and straw.

The total excrements voided by a horse in a day have been calculated, according to the average of experiments by Boussingault and Hofmeister, at 28.11 lb., of which only 6.37 lb. consisted of dry matter.² These 28.11 lb. contained .18 lb. of nitrogen and .92 lb. of mineral matter. The amount of straw necessary to absorb this amount of excrement may be stated at from 4 to 6 lb. The amounts of nitrogen

¹ According to Storer, in a ton of autumn leaves of the best quality there would be 6 lb. of potash, less than 3 lb. of phosphoric acid, and 10 or 15 lb. of nitrogen.

² Heiden's *Düngerlehre*, vol. ii. pp. 34, 66. In Boussingault's experiments the food consisted of 15 lb. *hay*, 4.54 lb. *oats*, and 32 lb. water; the total excrements amounting to 31.16 lb., containing 7.42 lb. dry matter. In Hofmeister's experiments the food consisted of 5.23 lb. *hay*, 6.18 lb. *oats*, 1 lb. *chopped straw*, and 25.57 lb. water; the excrements amounting to 25.07 lb., containing 5.32 lb. dry matter.

and mineral matter in 4 lb. of straw are .01 and .23 lb. respectively. The total amount of nitrogen and ash, therefore, in the farmyard manure produced by a horse in one day would be .19 lb. nitrogen and 1.15 lb. mineral matter; or, if we take the larger quantity of straw, somewhat more.

Taking these figures, we find that the amount of manure produced by a horse in a year will be from 11,720 to 12,450 lb. (*i.e.*, from $5\frac{1}{4}$ to $5\frac{1}{2}$ tons),¹ containing from 69 to 73 lb. nitrogen, and from 420 to 460 lb. mineral matter.²

A word or two may be of value regarding the treatment in the stable of horse-manure. The great object to be aimed at is the prevention of loss of valuable fertilising constituents. This loss may be due to two causes. It may be, in the first place, caused by drainage of the soluble matter of the manure; or secondly, it may be due to volatilisation of the volatile constituents.

The first of these two sources of loss depends on the precautions taken in the way of providing a proper impervious flooring to the stable. This source of loss is extremely difficult to prevent, inasmuch as nearly all materials used for flooring absorb a certain percentage of urine. The judicious use of litter, however, will minimise this loss to within a trifling extent.

¹ This is taking no account of the amount of water which the manure will absorb, and which will probably double the quantity.

² See Appendix, Note IX., p. 57.

Dr Heiden states that the amount of straw used as litter for the horse in Germany is between 4 to 6 lb. per day. The quantity should be regulated according to the percentage of water the excreta contains; the more watery excreta requiring naturally a larger quantity of litter. The most eminent authorities on this subject recommend that the amount of litter should equal one-fourth of the food in its natural state, or about one-third of its dry substance.

The second source of loss, which is due to volatilisation of the volatile ingredients, may be largely prevented by the use of certain preservatives.

Horse-dung being, comparatively speaking, of a dry nature, it is extremely difficult to effect its thorough mixture with the litter. For this reason the manure formed from horse excreta is particularly liable to rapid fermentation.¹ In the process of fermentation, as will be seen more in detail further on, the nitrogen is converted into carbonate of ammonia. As nitrogen in this form is of an extremely volatile nature, the risks of loss from this source are considerable. As illustrating this fact, it may be mentioned that Bousingault has found by experiment that the total percentage of nitrogen contained by fresh horse-manure might be reduced in the process of fermentation to one-half of its original amount by loss from this source.

¹ The rapid fermentation of horse-manure is due to its mechanical as well as its chemical nature. The horse does not reduce its food to such small pieces, and its urine is rich in nitrogen.

The preservatives used to prevent this volatilisation are technically known as "fixers." This they do by chemically combining with the volatile ammonia and forming non-volatile compounds with it.

Of the acid fixers, hydrochloric and sulphuric acids have been recommended. The former, however, is not well suited for this purpose. It is a strongly fuming acid, and when brought into contact with ammonia forms dense white fumes. The use of sulphuric acid is not open to this objection. Sulphate of ammonia, the salt formed in this case, is one of the most stable (or least volatile) of the compounds of ammonia. If used, it should be largely diluted with water, and the whole mixed with sand. Such a mixture, when sprinkled over the stable-floor in even very small quantities, has been found to effectually prevent any loss of the volatile carbonate of ammonia.

It is not, however, on the whole advisable to use an acid substance as a fixer, since such a substance may act deleteriously on the horses' hoofs.

Such substances as *gypsum*, *copperas*, and *sulphate of magnesia*, while equally efficient, are not open to this objection. The above-mentioned substances owe their efficacy to the fact that they are compounds of sulphuric acid, which, by combining with the volatile ammonia and forming sulphate of ammonia, prevents its escape.

Gypsum, or sulphate of lime, although, comparatively speaking, an insoluble substance, when brought in con-

tact with carbonate of ammonia has been proved to effect the conversion of the ammonia into sulphate of ammonia. It is also believed to retard the decomposition of the manure.¹ Copperas, or ferrous sulphate, while a soluble salt, and while thus acting in a more speedy manner in fixing the ammonia, is not so well suited, owing to the hurtful influence it is well known to possess on plant-life. It is only right to remember that there may be circumstances in which copperas may, in small quantities, act, even beneficially, as a manure, as Griffiths' experiments would seem to indicate. The above objection, however, cannot be urged against sulphate of magnesia. In addition to fixing the ammonia, sulphate of magnesia may very probably fix the soluble phosphoric acid. Kainit, which consists of a mixture of sulphates and chlorides of potassium and magnesium, has also been suggested for this purpose. By using such a fixer, the value of the resulting manure would be much enhanced. In conclusion, it must be remembered that all the above-named fixers act very much in the same way—viz., by converting the volatile carbonate of ammonia into sulphate of ammonia.²

✓ **2. Cow-manure.**—The composition of the manure formed from the excrementitious matter of the cow is very much less constant than is the case in the horse-

¹ Schulze recommends one-third of a pound per day of sulphate of lime for each horse.

² See Appendix, Note X., p. 58.

manure. An average statement of that composition is therefore very much more difficult to obtain. The number of analyses available for the purpose of forming this average is, however, very large. The manure produced by cows contains a large percentage of water. This is due to the large quantity of water they drink. It has been estimated that milk-cows drink along with their winter food, for every pound of dry substance, 4 lb. of water, and in summer about 6 lb.

According to some experiments by Boussingault, the excrements of a cow in a day amounted to 73.23 lb., of which only 9.92 lb. were dry matter.¹ These excrements contained .256 lb. of nitrogen, and 1.725 lb. of mineral matter. The amount of straw necessary to use as litter for this amount of excrements may be taken at 6 to 10 lb. The manure, therefore, formed by a cow per day would contain from .274 to .286 lb. of nitrogen, and from 2.046 to 2.278 lb. of mineral matter.

In a year this would amount to from 100 to 104.4 lb. of nitrogen, and from 746.8 lb. to 831.5 lb. of mineral matter; or from 6 cwt. 75 lb. to 7 cwt. 47 lb. Cow-dung is, owing to its much more watery nature and poorer quality, very much slower in its fermentation than horse-dung. When applied alone cow-manure is very slow in its action, and makes its influence felt for at least three or four years. It is difficult to spread it evenly over the soil, owing to the fact that,

¹ The food consisted of 30 lb. *potatoes*, 15 lb. *hay*, and 120 lb. *water*.

when somewhat dried, it has a tendency to form hard masses, which, when buried in the soil, may resist decomposition for a very long period. The cause of this is due to the presence of a considerable amount of mucilaginous and resinous matter in the solid excreta, which prevent the entrance of moisture and air into the centre of the mass. This tendency of cow-manure to resist decomposition will be greatly lessened in the case of the excrements of a cow richly fed.

The risks of loss of volatile ammonia are, therefore, in its case not so great as we have seen them to be in the case of the "hot" horse-dung. Notwithstanding this fact, much of what has been said on the use of preservatives for horse-manure may be also applied to the cow-dung. This is owing to the fact that the dung is allowed to accumulate in the court for some time. The amount of straw it is advisable to use as litter varies, as has been said, from 6 to 10 lb. per day. The best method of calculating this amount, according to Dr Heiden, is by taking one-third of the total weight of the dry substance of the food. The above authority also recommends that the straw is best applied in blocks of about one foot in length; and this for the following reasons:—

1. The strewing of it is more convenient.
2. The absorption of the fluid portion is more complete.
3. The cleaning out of the manure from the byre is easier.

4. The manure is more easily distributed when applied to the field.

Among the advantages incidental to allowing the manure to accumulate in the court may be mentioned the following:—

1. The more thorough absorption of the urine by the straw, and, consequently, the more uniform mixture which will be thus effected of the more valuable urine with the less valuable solid excreta.

2. A certain retardation of decomposition effected by the treading under foot of the manure.

3. The protection of the manure from rain and wind, and the securing of a uniform temperature.

Against those advantages must be placed the risk of seriously affecting the health of the animal. Although this is a point of very great importance, it scarcely falls within the scope of this work. It may be pointed out, however, that the judicious use of some of the chemical fixers previously referred to may do much to keep the air of the byre or court free of noxious gases.¹

3. Pig-manure.—The food of the pig is so very variable in its character, that it is wellnigh impossible to obtain anything like an average analysis of its excrements. When the food of the pig is rich, then the manure may be quite equal in quality to the other manures. According to Boussingault, the total amount of excrements, on an average, voided by a pig in twenty-four hours is about 8.32 lb., of which 1.5 lb. is dry

¹ For further analyses of cow-manure, see Appendix, Note XI., p. 60.

matter.¹ The amount of nitrogen these excrements contain is only .05 lb., and of mineral ingredients .313 lb. If we take the amount of straw, most suitable for absorbing this quantity of excrementitious matter, at from 4 to 8 lb., then we shall find that the manure produced by a pig will contain from .06 to .074 lb. nitrogen, and .545 to .772 lb. mineral matter. These quantities, calculated for a year, give from 22 to 27 lb. of nitrogen, and from 1 cwt. 87 lb. to 2 cwt. 57 lb. of mineral matter. That is about as much nitrogen as would be contained in $1\frac{1}{4}$ to $1\frac{1}{2}$ cwt. of nitrate of soda (95 per cent purity); or from slightly less than 1 cwt. to slightly over 1 cwt. of sulphate of ammonia (97 per cent purity).

As has already been pointed out, the excrements of the pig are, as a rule, very poor in nitrogen. This accounts for the fact that pig-manure is a "cold" manure, slow in fermenting.

4. Sheep-manure.—The dung and the urine of the sheep, as we have already seen, are, weight for weight, the most valuable of any of the common farm animals. The total weight of the excrements voided by a sheep in a day may be taken, on an average,² at 3.78 lb., of which .97 lb. is dry matter. These excrements contain .038 lb. of nitrogen and .223 lb. mineral matter. Taking the amount of straw most suitable for absorbing

¹ This is for a pig of 6 to 8 months old, and fed on potatoes.

² Taken from a very large number of analyses by a number of experimenters. See Heiden's *Düngerlehre*, vol. i. p. 99.

this quantity of excrementitious matter at three-fifths of a pound, then the manure produced by a sheep in a day will contain .0429 lb. nitrogen, and .264 lb. mineral matter. That is, in a year the quantities of nitrogen and mineral matter in the manure produced by a sheep would be 15.66 lb. of nitrogen and 96.36 lb. of mineral matter.

From its richness in nitrogen, and from its dry condition, sheep-dung is peculiarly liable to ferment. While richer in fertilising substances than horse-manure, it is not so rapid in its fermentation. This is due to the harder and more compact physical character of the solid excreta. The risks of loss of volatile ammonia are, in its case, exceptionally great. The use of artificial "fixers" is therefore to be strongly recommended.¹

¹ See Storer, *Agricultural Chemistry*, vol. ii. p. 96.

A question of great importance is as to the amount of farmyard manure produced on a farm in a year, and its value. This is a question which is extremely difficult to satisfactorily deal with. Various methods of calculating this amount have been resorted to. It may be well to state these pretty fully. Some practical authorities estimate the amount by calculating that every ton of straw should produce 4 tons of manure. Another method consists in estimating the amount from the size of the farm. "It is not very wide of the mark to say that the weight of manure produced by consuming with stock in the yards an acre of turnip crop will be 6 tons, and that an acre of green clover similarly fed will give $5\frac{1}{2}$ tons of manure; an acre of pasture, 5 tons; an acre of wheat-straw, $4\frac{1}{2}$ tons; and an acre of barley or oat straw, 4 tons. One hundred acres of good arable land will produce in a year about 5 tons per acre, or 500 tons" (Professor Scott). Another method is by taking, as the data of calculation, the number of cattle, horses, sheep, &c., producing the manure. Lloyd considers that a fattening animal requires 3 tons of straw in the

Fermentation of farmyard manure.—Having now considered the nature of the different manures produced by the four common farm animals separately, it is of importance to consider the exact nature of the fermentation, decomposition, or putrefaction which takes place in the manure-heap.

It is now more than thirty years since Pasteur showed that the fermentation which ensued on keeping a sample of urine was due to the action of a minute organism, for the propagation of which a certain amount of warmth, air, and moisture, as well as year, and makes about 12 tons of manure. A farmer, therefore, should make 8 tons of manure for every acre of that part of his land which, in the four-course rotation, is put down to turnips.

The last method consists in taking as the data the amount of food consumed and litter used in the production of the manure. Of these methods Heiden considers the last as alone satisfactory and trustworthy. Applying this method to the horse, he shows, from experiments, that a little over 47 per cent of the dry matter of its food has been proved to be voided in the solid and liquid excreta. Taking the average percentage of water in the excreta as about 77.5, the percentage of dry matter in the excreta will be 22.5. That is, every pound of dry matter in the food eaten by the horse yields a little over 2 lb. of excrementitious matter. To this of course must be added the amount of straw used as litter, which may be taken at 6.5 lb.

From these data we may calculate the amount of manure produced in a year by a horse, making certain assumptions as to the amount of work performed. This Heiden does by assuming that a horse works 260 days, of twelve hours each, in the course of a year, or 130 whole days, spending 235 days in the stall. Calculating from the above data, he estimates that a well-fed working horse will produce about 50 lb. of manure in a day, or 6.5 tons in a year. Of course this does not necessarily represent all the manure actually produced by the horse, but how much of the remaining portion of the manure actually finds its way to the farm it is impossible to say. According to the

the presence of certain food constituents, especially nitrogenous bodies, were necessary.

Subsequent researches by Pasteur and others have conclusively demonstrated that the micro-organic life, instrumental in effecting the putrefaction or decay of organic matter of any kind, may be divided into two great classes:—

1. Those which require a plentiful supply of oxygen for their development, and which, when bereft of oxygen, die—known as *aerobies*.

2. Those which, on the contrary, develop in the

‘Book of the Farm,’ Division III. p. 98, a farm-horse makes about 12 tons of manure in a year. †.

It has been calculated that cows void about 48 per cent of the dry matter of their food in the solid and liquid excreta, which contains of water, on an average, 87.5 per cent. That is, every pound of dry matter will furnish 3.84 lb. of total excreta. By adding the necessary amount of straw for litter (which may be taken at one-third the weight of the dry matter of the fodder), Heiden calculates that an ox weighing 1000 lb. should produce 113 lb. of manure in a day, or 20 tons in a year. The ‘Book of the Farm,’ Division III. p. 98, gives the annual amount at from 10 to 14 tons. According to Wolff, one may assume that on an average the fresh excrements (both liquid and solid) of the common farm animals (with the exception of the pig) contain of every 100 lb. of dry matter in the food consumed about 50 lb., or a half. Estimating the dry matter in the litter used at equal to about $\frac{1}{4}$ of the dry matter of the food, this would mean that for every 100 lb. of dry matter consumed in food there would be 75 lb. of dry manure (viz., 50 lb. dry excrements + 25 lb. dry litter), which would yield 300 lb. of farmyard manure in the wet state—*i.e.*, with 75 per cent water. The amount of food daily required per every 1000 lb. of live weight of the common farm animals may be taken, roughly speaking, at 24 lb. dry food material and 6 lb. of straw as litter. The daily production of manure for 1000 lb. of live weight would amount, therefore, to 18 lb. of dry, or 72 lb. wet manure.

complete absence of oxygen, and which, when exposed to oxygen, die—known as *anaerobies*.

In the fermentation of the manure-heap, therefore, we must conceive of the two classes of organisms as the active agents. In the interior portion of the manure-heap, where the supply of oxygen is necessarily limited, the fermentation going on there is effected by means of the anaerobic organism—*i.e.*, the organism which does not require oxygen; while on the surface portion, which is exposed to the air, the aerobic (or oxygen-requiring) organism is similarly active. Gradually, as decay progresses, the aerobic organisms increase in number. It is through their instrumentality that the final products of decomposition are largely produced. The functions of the anaerobic organisms may be, on the contrary, regarded as largely preparatory in their nature. By breaking up the complex organic substances in the manure into new and simpler forms, they advance the process of putrefaction through the initial stages, and when this is accomplished, they die and give place to the aerobic, which, as we have just seen, effect the final transformation of the organic matter into such simple substances as *water* and *carbonic acid gas*.

The conditions influencing the fermentation of farm-yard manure may be summed up as follows:—

1. *Temperature*.—The higher the temperature the more rapidly will the manure decay.

2. *Openness to the air*.—Of course it will be seen

that the effect of exposing the manure to the action of the air is to induce the development of the aerobic type of organism, and thus to promote more rapid fermentation. If, on the other hand, the manure be impacted, the slower but more regular fermentation, due to the anaerobic type of organism, will be chiefly promoted. It must be remembered that in the proper rotting of farmyard manure, both kinds of fermentation should be fostered. It is, in fact, on the careful regulation of the two classes of fermentation that the successful rotting of the manure depends. It must further be remembered that, even with a certain amount of openness in a manure-heap, anaerobic fermentation may take place. This is due to the fact that the evolution of carbonic acid gas, in such a case, is so great as to exclude the access of the atmospheric oxygen into the pores of the heap.

3. The *dampness* of the manure-heap is another important influence. This, of course, will act in two ways: first, by lowering the temperature. Where the manure-heap is found to be suffering from "fire-fang," the common method in practice is to lower the temperature by moistening the heap with water. Secondly, it acts as a retarder of fermentation by limiting the supply of atmospheric oxygen, and thus preventing, as we have just seen, aerobic fermentation.

4. The fourth chief influence in regulating fermentation of the manure-heap is its *composition*, and more especially the amount of nitrogen it contains in a solu-

ble form. The rate at which fermentation takes place in any organic substance may be said chiefly to depend on the percentage of soluble nitrogenous matter it contains; the greater this is in amount, the more quickly does fermentation go on. There are always a number of soluble nitrogenous bodies in farmyard manure. These are chiefly found in the urine, such as *urea*, *uric* and *hippuric acids*, and *ammonia* salts.

Products of decomposition of farmyard manure.—The most important of the changes which take place in the rotting of farmyard manure may be briefly enumerated as follows:—

1. The gradual conversion into gases of a large portion of the organic elements in the manure. Of these gaseous products the most abundant is *carbonic acid gas* (CO_2). It is in this form that the carbonaceous matter which constitutes the chief portion of the manure escapes into the air. Carbon also escapes into the air, combined with hydrogen, in the form of *carburetted hydrogen* or *marsh-gas* (CH_4), a product of the decomposition of organic matter in the presence of a large quantity of water. This gas is consequently found bubbling up through stagnant water. Next to carbonic acid gas, *water* (H_2O) is the most abundant gaseous product of decomposition. The nitrogen present in the manure, in different forms, is converted by the process of decomposition chiefly into *ammonia*, which, combining with the carbonic acid, forms carbonate of ammonia, a very volatile salt. It is to this fact that one of the

great sources of loss in the decomposition of farmyard manure is due. If the temperature of the manure-heap be permitted to rise too high, the carbonate of ammonia volatilises. It is probable, also, that a not inconsiderable portion of the nitrogen escapes into the air in the free state. The last of the most important gaseous products of decomposition are *sulphuretted* and *phosphoretted hydrogen*. It is to these gases that much of the smell of rotting farmyard manure is due.

2. The second class of substances formed are *soluble organic acids*, such as *humic* and *ulmic acids*. The function performed by these acids is a very important one. They unite with the ammonia and the alkali substances in the mineral portion of the manure, forming humates and ulmates of ammonia, potash, &c. It is these ulmates that form the black liquor which oozes out from the manure-heap.

In very rotten farmyard manure traces of *nitric acid* may be found, but it must be remembered that the formation of nitrates is practically impossible under the ordinary conditions of active fermentation of farmyard manure, except perhaps in its very last stages.

3. The third class of changes taking place have to do with the mineral portion of the manure. The result of the formation of so much carbonic and other organic acids is to increase the amount of *soluble* mineral matter very considerably.

Analyses of farmyard manure.—It is chiefly to the valuable researches of the late Dr Augustus Voelcker that we owe our knowledge of the composition of old and fresh farmyard manure. All interested in this important question should peruse the original papers on this subject contributed to the 'Journal of the Royal Agricultural Society' by Dr Voelcker. Typical analyses illustrating the variation in the composition of farmyard manure at different stages of decomposition will be found in the Appendix.¹ From what has been already said, it is obvious that the composition of farmyard manure is of a very variable nature.

The quantity of moisture naturally varies most, and this variation will depend on the age of the manure, and the conditions under which it is permitted to decay. It may be taken at from a minimum of 65 per cent in fresh, to 80 per cent in well-rotted manure. The total organic matter may be taken at from 13 to 14 per cent; containing nitrogen, .4 to .65 per cent. The total mineral matter will range from about 4 to 6.5 per cent, containing of potash from .4 to .7 per cent, and of phosphoric acid from .2 to .4 per cent.²

As Mr Warington³ has pointed out, one ton of farmyard manure would thus contain 9 to 15 lb. of nitrogen, about the same quantity of potash, and 4 to 9 lb. of phosphoric acid. These quantities of nitrogen

¹ See Appendix, Note XII., p. 60.

² See Heiden's *Düngerlehre*, vol. ii. p. 156.

³ Warington, *Chemistry of the Farm*, p. 33.

and phosphoric acid, calculated to (95 per cent) nitrate of soda, and (97 per cent) sulphate of ammonia, and (25 per cent) superphosphate, give respectively 57.25 to 96 lb. nitrate of soda, 45 to 75 lb. sulphate of ammonia, and 35 to 79 lb. superphosphate. That is, in order to apply as much nitrogen to the soil as is contained in one ton of nitrate of soda, we should require to use from 23 to 41 tons of farmyard manure; similarly one ton of sulphate of ammonia contains as much nitrogen as 30 to 50 tons farmyard manure. In the same way one ton superphosphate of lime contains as much phosphoric acid as 28 to 64 tons farmyard manure.

The value of rotten manure is, weight for weight, greater than that of fresh manure. This is due to the fact that, while the water increases in amount, the loss of organic matter of a non-nitrogenous nature more than counterbalances the increase in water; the manure, therefore, becomes more concentrated in quality. The loss on the total weight, according to Wolff, in the rotting of farmyard manure, should not exceed in two or three months' time 16 to 20 per cent—viz., a sixth to a fifth of its entire weight. Not only, however, does the manure become richer in manurial ingredients, but the forms in which the manurial ingredients are present in rotten manure are more valuable, as they are more soluble. These statements must not be taken as proving that it is more economical to apply farmyard manure in a rotten condition than



in a fresh one. The distinction must not be lost sight of which exists between relative increase— increase in the percentage of valuable constituents —and absolute increase. The increase in the value of the manure by the changes of the manurial ingredients from the insoluble to the soluble condition may be effected at the expense of a considerable amount of absolute loss of these valuable ingredients. This is a point which is probably too often left out of account in discussing the relative merits of fresh and rotten farmyard manure; and it is important that it should be clearly understood. In the words of the late Dr Voelcker: “Direct experiments have shown that 100 cwt. of fresh farmyard manure are reduced to 80 cwt. if allowed to lie till the straw is half rotten; 100 cwt. of fresh farmyard manure are reduced to 60 cwt. if allowed to ferment till it becomes ‘fat or cheesy’; 100 cwt. of fresh farmyard manure are reduced to 40-50 cwt. if completely decomposed. This loss not only affects the water and other less valuable constituents of farmyard manure, but also its most fertilising ingredients. Chemical analysis has shown that 100 cwt. of common farmyard manure contain about 40 lb. of nitrogen, and that during fermentation in the first period 5 lb. of nitrogen are dissipated in the form of volatile ammonia; in the second, 10 lb.; in the third, 20 lb. Completely decomposed common manure has thus lost about one-half of its most valuable constituent.” While, of course, a very great amount of absolute

loss of the valuable constituents—the nitrogen and ash constituents—of farmyard manure may take place through volatilisation and drainage, by taking requisite precautions this loss may be very much minimised. As regards the total loss, this, in two or three months' time, should only amount to 16 to 20 per cent—or one-sixth to one-fifth of the weight.¹ The use of fixers, to which reference has already been made, will greatly minimise this loss. The application of fixers is best made to the manure when still in the stall or byre. The health of the animal benefits by so doing, while the manure is at once guarded against loss from this source.

As to the relative merits of covered and uncovered manure-heaps, much difference of opinion exists. It is one of these questions which does not admit of final decision one way or another, as it depends so largely on the individual circumstances of each case. That manure produced under cover is more valuable than manure made in the open is readily granted. The question, however, is as to whether the increase in its value is sufficiently great to warrant the extra expense involved in building covered courts. This depends on the individual circumstances of each case, and cannot be decided in a general way. For experiments on the relative value of manure made under cover and in the open, see Appendix.²

The method of applying farmyard manure to the

¹ See Appendix, Note XIII., p. 62.

² Note XIV., p. 63.

field is a question which belongs more to the practical farmer than to the scientist, and must be largely decided by economic considerations. There is an aspect, however, of the question which may well be treated here. The first point in the production of good manure is in connection with its even distribution. It is of great importance that the excrements of the different farm animals be thoroughly mixed together. By the intimate incorporation of the "hot" horse-dung with the "cold" cow and pig dung, uniform fermentation is secured. Fire-fang—or too rapid fermentation—may occur from this not being properly done, and from the manure becoming too dry. It is important, also, as we shall see immediately, to have the manure uniform in quality when applied to the field. The manure ought to be firmly trodden down to moderate the rate of fermentation. Where the manure-heap is exposed to rain, the quantity of water it will naturally receive will probably be quite sufficient, if indeed not too much, to ensure a proper rate of fermentation—except, perhaps, in very warm weather. The great point to be aimed at is to ensure regular fermentation. What has to be especially avoided is any sudden exposure of the manure to large quantities of water. The result of such a washing out of the soluble nitrogen is to retard fermentation, besides incurring the risk of great actual loss by drainage.¹

Application of farmyard manure to the field.—In

¹ See Appendix, Note XV., p. 64.

applying the manure to the field, and before ploughing it in, two methods of procedure may be pursued. First, the manure may be set out in heaps, larger or smaller, over the field, and be allowed to remain in these heaps some time before being spread; and secondly, it may be directly spread broadcast over the field, and thus allowed to lie for some time. Lastly, the manure may be ploughed in immediately; and it may be stated that such a method is, where circumstances permit, the safest and most economical method.

In discussing the merits and demerits of these two methods, Dr Heiden points out, first, with regard to the distribution of the manure in small heaps over the field, that this is not to be recommended on the following grounds:—

1. Because the chances of loss by volatilisation are thereby increased. The manure is distributed several times instead of only once or twice.

2. It is apt to ensure unequal distribution. The separate heaps run the risk of losing their soluble nitrogenous matter, which soaks into the ground beneath the heaps. The other portions of the field not covered by the manure-heaps are thus manured with washed-out farmyard manure, bereft of its most valuable constituents. The result is, that while certain portions of the field are too strongly manured, other portions are too weakly manured.

3. The proper fermentation of the manure is apt to

be interfered with by the loss of that which is its most important agent—viz., the soluble nitrogenous matter, and also by the drying action of the wind.

The same objections hold good to a large extent with regard to the setting out in the fields of the manure in large heaps. The risks of loss, in one respect, may be said to be less, owing to the smaller surface presented; on the other hand, they may be greater, owing to fermentation taking place more quickly. Agricultural practice, however, often renders this custom necessary, and if precautions are taken not to let the heap lie too long, and to cover it over with earth, the risk of serious loss may be rendered inconsiderable.

With regard to the second method of procedure—viz., the spreading of the manure broadcast over the field, and allowing it thus to lie—Dr Heiden is of opinion that this should only be done when the field is level. In the case of uneven ground the risks are, of course, obvious. It has been affirmed that, by allowing farmyard manure thus to lie exposed for some time, an important loss of volatile ammonia—carbonate of ammonia—is apt to take place. This could only take place where the former treatment of the farmyard manure had been bad. Hellriegel has shown that in the case of properly prepared farmyard manure there is no danger of loss in this way. The absorptive power of the soil for ammonia, it must be remembered, is very great, and the amount of volatile

ammonia in farmyard manure is relatively so small that it is scarcely possible that any could escape in this way. Hellriegel's experiments have demonstrated this in a very striking way. He has found that in the case of a chalky soil, and during the summer and autumn months, practically no loss of ammonia takes place. The following considerations may be further urged in support of this method of application, as against immediately ploughing in the manure, viz. :—

1. That fermentation takes place more quickly.

2. That it results in a more equable distribution of the manurial constituents in the dung, by gradually and thoroughly incorporating the liquid portion of the manure with the soil-particles.

Against, however, these undoubted advantages, one serious disadvantage may be urged—viz., that the manure, before being ploughed in, becomes robbed to a large extent of its soluble nitrogenous compounds, which, as we have repeatedly observed, are so necessary for fermentation; and that, therefore, when it is ploughed in, it does not so readily ferment. This being so, it is highly advisable, in the case of light or sandy soils, not to follow such a practice, but to plough the manure directly in.

As to the depth to which it is advisable to plough the manure in, it may be here noticed that it should not be too deep, so as to permit of the access of sufficient moisture to ensure proper fermentation, and to prevent rapid washing down of nitrates to the drains.

Lastly, it need scarcely be pointed out that it is highly important to have the manure evenly and thoroughly incorporated with the soil-particles. Where the manure is permitted to cake together in lumps, it may successfully resist the action of fermentation for several years.

Value and function of farmyard manure.—Practical experience has long demonstrated the fact that farmyard manure is, taking it all round, the most valuable, and admits of the most universal application, of all manures; and science has done much to explain the reason of this. The influence of farmyard manure is so many-sided that it is difficult even to enumerate its different functions. As has already been pointed out, its indirect value as a manure is probably as great as, if indeed even not greater than, its direct value. In concluding our study of farmyard manure, we shall endeavour to summarise, in as brief a manner as possible, its chief properties.

First, as to its value as a supplier of the necessary elements of plant-food. This, there can be little doubt, has been, and still is, grossly exaggerated by the ordinary farmer. Much has been claimed for it as a "general" manure. How far it merits pre-eminence on this score among other manures will be seen in the sequel. It is true that, since it is composed of vegetable matter, it contains all the necessary plant ingredients. As has been shown in the introduction, there is practically in the case of most soils no

necessity to add in a manure any more than the three ingredients, *nitrogen*, *phosphoric acid*, and *potash*. Its value, then, as a direct manure must depend on the quantity and proportion in which these three ingredients are present. These substances, as we have already seen, it contains only in very small quantities. It is, judged from this point of view, a comparatively poor manure. Furthermore, only a certain percentage of these substances are in a soluble or immediately available condition,—in this respect the rotten manure being very much more valuable than the fresh manure.

Again, a point of great importance in a universal manure is the proportion in which the necessary plant-foods are present. If it be asked, Are the nitrogen, phosphoric acid, and potash in farmyard manure present in the proportion in which crops require these constituents? the answer must be in the negative. Heiden¹ has very strikingly illustrated this point, in so far as the relations between the two ash ingredients are concerned, by some computations as to the amount which would be removed from the soil in the course of different rotations.² In the case of five different rotations, it was found that the ratio between the potash and phosphoric acid removed was as follows:³ (1) 2.96 to 1; (2) 2.76 to 1; (3) 2.95 to 1; (4) 4.13 to 1;

¹ See Heiden's *Düngerlehre*, vol. ii. p. 171.

² For full details see Appendix, Note XVI., p. 64.

³ Storer reproduces these results in his '*Agricultural Chemistry*,' vol. ii. p. 21.

(5) 3.78 to 1. This would give a mean of 3.32 to 1. This is not the ratio in which these ingredients are generally present in farmyard manure. Farmyard manure may be said to be much richer in the mineral constituents of plants than in nitrogen. Professor Heiden found that in the case of a farm at Waldau, the crops in the course of ten years removed from a *morgen* (.631 of an acre) the following quantities:—

	lb.
Nitrogen	329
Potash	263
Phosphoric acid	121

In order to supply these amounts the following quantities of manure would require to be supplied:—

1. For the nitrogen, 26 or 27 tons (manure containing .606 per cent nitrogen).
2. For the potash, 20 to 25 tons (manure containing .672 per cent potash).
3. For the phosphoric acid, 13 to 19 tons (manure containing .315 per cent phosphoric acid).

From the above it will be seen that farmyard manure contains too little nitrogen in proportion to its ash ingredients.

It is not merely the amount of fertilising ingredients removed by the crop we have to take into account in estimating the value of certain manurial ingredients for the different crops. Two other considerations have to be remembered—viz., the amount of the constituents already present in the soil, and the ability of the

different crops to obtain the ingredients from the soil. If we take into account these two considerations in estimating the value of farmyard manure as a general manure, we shall find that they accentuate the inadequacy of the ratio existing between the nitrogen and the mineral ingredients. Messrs Lawes and Gilbert have found in the Rothamsted experiments with farmyard manure that while it restored the mineral ingredients, it was inadequate as a sufficient source of nitrogen. Nitrogen is, of all manurial ingredients, in least abundance in soils. It is consequently found that the ingredient in which farmyard manure requires to be reinforced is nitrogen. With regard to phosphoric acid and potash, it has already been shown that the ratio between them is probably greater than that in a good average manure. We should, arguing from this alone, be inclined to think that farmyard manure would be best reinforced with potash. The reverse, as every farmer knows, is the case, however. This is due, first, to the fact that the potash, unlike the phosphoric acid, is entirely of a soluble nature, and therefore immediately available for the plant's needs; and secondly, to the fact that the necessity for the application of potash as a manure is generally not nearly so great as in the case of phosphoric acid. The result is that farmyard manure will be, as a rule, more valuably supplemented by phosphoric acid than by potash.

Another point of great importance in estimating

the value of farmyard manure as a chemical manure, is the inferior value possessed by much of the nitrogen it contains, as compared with the nitrogen in such artificial manures as nitrate of soda and sulphate of ammonia. According to the Rothamsted experiments, weight for weight, the nitrogen in farmyard manure is not half as valuable as it is in sulphate of ammonia. Much of the nitrogen becomes only very slowly available; not a little of it perhaps actually takes years to be converted into nitrates.¹

Thus, with regard to the direct value of farmyard manure as a manure, we have seen—

1. That it contains a very small quantity of the three fertilising ingredients.

¹ This aspect of farmyard manure has been ably stated by Mr F. J. Cooke, a well-known Norfolk farmer. In commenting on the results of the Rothamsted experiments, he says: "It is clear enough that the faith of the farmer in the soil-enriching character of his home-made manure is amply justified, the only question being, indeed, if this quality be not too highly appreciated. It is not, after all, so much by the fattening of our land as by the bounty of the crop grown upon it that we reap the fruit of our exertions. The man of scientific mind keeps his purpose fixed on the *production of good crops* mainly, and the cheapest way to grow them. The experiments under consideration show that richness of land may be purchased much too dearly, and that richness of crop by no means bears the necessary relation to richness of soil which has sometimes been imagined. We may boast of the 'lasting qualities' of our dung, but the answer of science by these experiments is, that so great is the last that the life of one man may not be long enough to exhaust it. In the extravagant use of dung, therefore, such considerations, amongst many others, as length of purse, as well as length and character of tenure, must clearly be taken into account."

2. That the proportion in which these three ingredients are present is not the best proportion for the requirements of crops.
3. That the form in which a portion of these ingredients—nitrogen and phosphoric acid—is present is not of the most valuable kind.

It is consequently not as a direct chemical manure that farmyard manure is pre-eminently valuable. We must seek for perhaps its most valuable properties in its indirect influence.

1. It adds to the soil a large quantity of organic matter. Most soils are improved by the addition of *humus*. The water-absorbing and retaining powers of a soil are increased by this addition of *humus*, while it enables the soil to attract an increased amount of moisture from the air. This is often of great importance, as in the period of germination of seed.¹ The influence it exerts on the texture of the soil in the process of fermentation is also very great. This is especially so in soils whose texture is too close, such as heavy clayey soils. It opens up their pores to the air, and renders them more friable. Where such an influence is most required, as in clayey soils, the manure ought to be applied in a fresh condition, so that the maximum influence exerted by the manure in this direction may be experienced. On light soils, on the contrary,

¹ See paper on "Manurial Experiments with Turnips" by author, in Journal of Highland and Agricultural Society of Scotland, 1891.

whose friability and openness are already too great, and which do not require to be increased, the manure will be best applied in a rotten condition. It adds, further, greatly to the heat of the soils by its decomposition. Thus on cold damp soils it effects one very marked benefit. The influence it exerts in its decomposition upon the fertilising ingredients present in the soil is also by no means inconsiderable. In the process of its fermentation large quantities of carbonic acid gas are generated. This carbonic acid probably acts in a double capacity. It will, in the first place, greatly increase the solvent power of the soil-water, and thus enable it to set free an increased amount of mineral plant-food; and secondly, it will help to conserve a certain quantity of the soil-nitrogen, by preventing its conversion into nitrates.

As its indirect and mechanical properties are greatest when in its fresh condition, it will be better to apply it in that condition to soils most lacking in these mechanical properties. We may therefore say that farmyard manure is best applied in a rotted condition to light sandy soils, and to soils in a high state of cultivation, where its mechanical properties are not so much required.

An important point still remains to be discussed—viz., the rate at which the farmyard manure should be applied. This, of course, should naturally depend on a variety of circumstances—the amount of artificial manures used as supplementary to the farmyard

manure, the frequency of its application, and the nature of the soil.

These considerations naturally vary so much, that the quantities of farmyard manure it is advisable to apply in different cases are widely different. There is a strong probability that the rate at which farmyard manure has been applied in the past has been grossly in excess of what could be profitably employed. Opinion is gaining ground among practical farmers, that smaller and more frequent applications of farmyard manure to the soil would be fraught with better results than the older custom of applying a large dressing at a time. This is an opinion in the support of which science can urge strong arguments. It is only of late years that we have come to recognise sufficiently the various risks which all fertilisers are subject to in the soil, and the importance, therefore, of minimising these risks as much as possible by putting into the soil at one time only as much manure as it is safely able to retain.

“The famous old German writer, Thaer, regarded 17 or 18 tons as an abundant dressing; 14 tons he called good, and 8 or 9 tons light. Other German authorities speak of 7 to 10 tons as light, 12 to 18 tons as usual, 20 or more tons as heavy, and 30 tons as a very heavy application.”¹

In the new edition of Stephens' ‘Book of the Farm’²

¹ Storer's Agricultural Chemistry, vol. i. p. 498.

² Division III. p. 130.

from 8 to 12 tons per acre for roots, and from 15 to 20 tons for potatoes, along with artificials, which may cost from 25s. to 60s. per acre additional, are quoted as general dressings.

The majority of recent experiments with farmyard manure would seem to indicate that, even in the case of what are considered small dressings, the extra return in crop the first year after application is not such as to cover the expense of the manure. Of course, as is commonly pointed out, the effect of farmyard manure is of a lasting nature, and is probably felt throughout the whole rotation, or even longer. This, to a certain extent, is no doubt true; still it may be strongly doubted whether farmyard manure is, after all, an economical manure, as compared with artificial manures. The desirability of manuring the soil and not the crop is, in this age of keen competition, no longer believed in; and the Rothamsted experiments have shown that it is highly doubtful whether even the soil benefits to anything like a commensurate extent by the application of large quantities of farmyard manure.

APPENDIX.

NOTE I. (p. 3).

DIFFERENCE IN AMOUNT OF EXCRETA VOIDED FOR FOOD CONSUMED.

WITH regard to the difference in the composition of the solid excreta voided by different fattening animals, fed on the same amount of food, see Warington's 'Chemistry of the Farm,' p. 125, where it is shown that for equal amount of live weight, the sheep produces on the same weight of dry food very much more manure than the pig, while the ox produces even more than the sheep. Of course this does not refer to the total amount of manure produced by the different animals, but only to the amount of manure produced from the consumption of equal quantities of food. This would seem to be owing to the greater capacity the pig has for assimilating its food.

NOTE II. (p. 5).

SOLID EXCRETA VOIDED BY SHEEP, OXEN, AND COWS.

To contrast with the analyses given by Stoeckhardt, it may be well to cite those quoted by Warington ('Chemistry of the Farm,' p. 138):—

I.—SHEEP (fed on *meadow-hay*).

	SOLID EXCREMENT.	
	Fresh.	Dry.
Water	66.2	...
Organic matter	30.3	89.6
Ash	3.5	10.4
	<hr/>	<hr/>
Nitrogen7	2.0

II.—OXEN (fed on *clover-hay* and *oat-straw*, with 8 lb. *beans* per day).

	Fresh.	Dry.
	Water	86.3
Organic matter	12.3	89.7
Ash	1.4	10.3
	<hr/>	<hr/>
Nitrogen3	1.9

III.—Cows (fed on *mangels* and *lucerne hay*).

	Mangels.	Lucerne hay.
	Water	83.00
Nitrogen33	.34
Phosphoric acid24	.16
Potash14	.23

NOTE III. (p. 9).

URINE VOIDED BY SHEEP, OXEN, AND COWS.

The following are Warington's results for urine, the animals being fed as in Note II. :—

	SHEEP.		OXEN.	
	Fresh.	Dry.	Fresh.	Dry.
Water	85.7	...	94.1	...
Organic matter	8.7	61.0	3.7	63.0
Ash	5.6	39.0	2.2	37.0
	<hr/>	<hr/>	<hr/>	<hr/>
Nitrogen	1.4	9.6	1.2	20.6

Cows.

	Mangels.	Lucerne hay.
	Water	95.94
Nitrogen12	1.54
Phosphoric acid01	.006
Potash59	1.69

NOTE IV. (p. 10).

PERCENTAGE OF FOOD VOIDED IN THE SOLID AND LIQUID EXCREMENTS.

According to Wolff, the following table shows the percentage of the dry substance of the food which is voided in the solid and liquid excrements of the cow, ox, sheep, and horse:—

	Cow.	Ox.	Sheep.	Horse.	Average.
Solid excreta .	38.0	44.0	42.6	46.7	42.8
Urine . . .	5.8	6.3	6.8	5.7	6.2
Total . . .	43.8	50.3	49.4	52.4	49.0

NOTE V. (p. 12).

PIG EXCREMENTS.

The excrements voided by pigs are poor in manurial constituents, because the food on which they are fed is generally of a very poor nature. In their case the urine is always very much richer in manurial ingredients than the solid excreta. The relative composition of the solid excreta and the urine will be best illustrated by quoting some experiments carried out by Wolff on this subject. The experiments were carried out with two pigs nine and a half months old, and each 121.9 kilogrammes (a kilogramme is equal to about $2\frac{1}{4}$ lb.) in weight. The first consumed daily 1000 grammes of barley, 5000 grammes of potatoes, and 2572 grammes of sour milk. The second one consumed the same quantities of potatoes and sour milk as the first, and 1000 grammes of peas. The following table gives the results of excreta and urine daily voided, in grammes:—

	Dry substance.	Nitrogen.	Ash.	Potash.	Lime.	Mag-nesia.	Phosphoric acid.
Solid excreta	I. 217.7	8.7	28.6	7.3	4.4	3.0	10.3
	II. 161.1	9.1	31.1	5.9	4.9	2.8	11.1
Urine	I. 112.8	19.3	56.2	33.0	0.4	0.9	6.7
	II. 137.7	30.6	62.2	37.1	0.2	1.1	7.1

NOTE VI. (p. 13).

MANURIAL CONSTITUENTS IN 1000 PARTS OF ORDINARY FOODS
(Warington's 'Chemistry of the Farm,' p. 139).

	Dry matter.	Nitrogen.	Potash.	Phosphoric acid.
Cotton-cake, decorticated } Rape-cake	918	70.4	15.8	30.5
Linseed-cake	887	50.5	13.0	20.0
Cotton-cake, undecorticated } Linseed	883	43.2	12.5	16.2
Palm-kernel meal, } English	878	33.3	20.0	22.7
Beans	882	32.8	10.0	13.5
Peas	930	25.0	5.5	12.2
Malt-dust	855	40.8	12.9	12.1
Bran	857	35.8	10.1	8.4
Oats	905	37.9	20.8	18.2
Rice-meal	860	23.2	15.3	26.9
Wheat	870	20.6	4.8	6.8
Rye	900	19.1	6.1	23.8
Barley	877	18.7	5.2	7.9
Maize	857	17.6	5.8	8.5
Brewers' grains	860	17.0	4.7	7.8
Clover-hay	890	16.6	3.7	5.7
Meadow-hay	234	7.8	0.4	3.9
Bean-straw	840	19.7	18.6	5.6
Oat-straw	857	15.5	16.0	4.3
Barley-straw	840	13.0	19.4	2.9
Wheat-straw	857	6.4	16.3	2.8
Potatoes	857	5.6	10.7	1.9
Swedes	857	4.8	6.3	2.2
Carrots	250	3.4	5.8	1.6
Mangels	107	2.2	2.0	0.6
Turnips	140	2.1	3.0	1.1
	120	1.8	4.6	0.7
	80	1.6	2.9	0.8

NOTE VII. (p. 19).

ANALYSES OF STABLE-MANURE, MADE RESPECTIVELY WITH
PEAT-MOSS LITTER AND WHEAT-STRAW (by BERNARD
DYER, B.Sc.)

	Peat-moss litter. Per cent.	Wheat-straw. Per cent.
Total nitrogen	0.88	0.61
Equal to ammonia	1.07	0.74
Phosphoric acid	0.37	0.43
Equal to Tribasic phosphate of lime (or Tricalcic phosphate)	0.80	0.94
Potash	1.02	0.59

NOTE VIII. (p. 19).

ANALYSES OF BRACKEN (by J. HUGHES, F.C.S.)

	No. 1. Young fern. Per cent.	No. 2. Old fern. Per cent.
Water	11.66	14.90
* Organic matter	83.38	80.54
+ Mineral matter	4.96	4.56
	<hr/>	<hr/>
	100.00	100.00
Containing—		
* Nitrogen	2.42	0.90
+ Silica	1.60	2.81
Potash	1.15	0.10
Soda	0.64	0.26
Lime	0.44	0.62
Magnesia	0.13	0.47
Phosphoric acid	0.60	0.30

NOTE IX. (p. 21).

ANALYSES OF HORSE-MANURE.

For a fuller discussion of this question, the reader is referred to Heiden's 'Düngerlehre,' vol. ii. p. 185, and also to Storer's 'Agricultural Chemistry,' vol. i. p. 575.

The statements in the different text-books as to the quantity of manure produced by the horse are such as naturally to perplex the student. This discrepancy is due, however, to the different methods adopted by different writers of calculating this amount. The subject is further discussed in the footnote to p. 29. The following analyses of horse-manure may be valuable for reference. They are taken from Storer's 'Agricultural Chemistry,' vol. i. p. 496:—

	1.	2.	3.	4.	5.	Average.
Water	75.76	69.30	67.23	72.13	71.30	71.15
Dry matter . . .	24.24	24.82	32.72	27.87	28.70	27.67
Ash ingredients .	5.07	5.05	6.49	3.37	3.30	4.65
Potash	0.51	0.63	0.22	0.59	0.53	0.49
Lime	0.30	0.74	0.17	0.41	0.21	0.36
Magnesia	0.19	0.29	0.20	0.17	0.14	0.20
Phosphoric acid .	0.41	0.67	0.35	0.12	0.28	0.36
Ammonia	0.26	0.12	0.15	0.44	...	0.24
Total nitrogen .	0.53	0.69	0.47	0.67	0.58	0.59


NOTE X. (p. 24).

THE NATURE OF THE CHEMICAL REACTIONS OF AMMONIA "FIXERS."


For the student, the exact nature of the chemical reactions taking place may be of interest.

In the first place, it must be distinctly understood that the form in which ammonia escapes from the manure-heap is not, as is so commonly erroneously stated in agricultural text-books, as "free" ammonia. Whenever ammonia is brought into contact with carbonic acid, carbonate of ammonia is formed. When it is remembered that carbonic acid is by far the most abundant of the gaseous products of the decomposition of organic matter, it will be at once seen that free ammonia could not exist under such circumstances.


1. In the case of *hydrochloric acid*, the following chemical equation will represent the nature of the reaction—




2. In the case of *sulphuric acid*, the equation will be—




3. With *gypsum* (CaSO_4)—



4. With *copperas* (FeSO_4)—



5. With *sulphate of magnesia* (MgSO_4)—



Reference has been made to the fact that magnesium sulphate may probably not only fix the ammonia, but the phosphoric acid. When magnesium sulphate, soluble phosphoric acid, and ammonia, are brought in contact with one another, the double insoluble phosphate of ammonium and magnesium ($\text{MgNH}_4\text{PO}_4 \cdot 6\text{Aq}$) is formed. While such a reaction is possible, it is highly improbable that it takes place to any extent. The double phosphate is a crystalline salt which only separates after a considerable time, and in the presence of a large excess of ammonia.

NOTE XI. (p. 27).

ANALYSES OF COW-MANURE.¹

	1.	2.	3.	4.	5.	6.	Average.
Water . . .	85.30	77.71	74.02	72.87	75.00	77.50	77.06
Dry matter . .	14.70	22.30	25.98	27.13	25.00	22.50	22.93
Ash ingredients	2.04	4.71	3.94	6.70	6.22	2.20	4.30
Potash . . .	0.36	0.46	0.56	1.69	0.39	0.40	0.64
Lime . . .	0.29	0.37	0.58	0.41	0.24	0.31	0.48
Magnesia . . .	0.19	0.11	0.13	...	0.18	0.11	...
Phosphoric acid	0.16	0.13	0.07	0.20	0.14	0.16	0.14
Ammonia . . .	0.06	0.16	0.07	...	0.27	...	0.14
Total nitrogen .	0.38	0.54	0.41	0.79	0.46	0.34	0.48

NOTE XII. (p. 36).

COMPOSITION OF FRESH AND ROTTEN FARMYARD
MANURE (VOELCKER).

Composition of fresh manure, composed of horse, cow,
and pig dung, about fourteen days old:—

Water	66.17
* Soluble organic matter	2.48
Soluble inorganic matter	1.54
† Insoluble organic matter	25.76
Insoluble inorganic matter	4.05
	100.00
* Containing nitrogen149
Equal to ammonia181
† Containing nitrogen494
Equal to ammonia599
Total percentage of nitrogen643
Equal to ammonia780
Ammonia in a volatile state034
Ammonia in form of salts088

¹ Storer's Agricultural Chemistry, vol. i. p. 496.

Composition of the whole ash :—

Soluble in water, 27.55 per cent :—	
Soluble silica	4.25
Phosphate of lime	5.35
Lime	1.10
Magnesia	0.20
Potash	10.26
Soda	0.92
Chloride of sodium	0.54
Sulphuric acid	0.22
Carbonic acid and loss	4.71
Insoluble in water, 72.45 per cent :—	
Soluble silica	17.34
Insoluble silicious matter	10.04
Oxide of iron and alumina with phosphates	8.47
(Containing phosphoric acid, 3.18 per cent.)	
(Equal to bone-earth, 6.88 per cent.)	
Lime	20.21
Magnesia	2.56
Potash	1.78
Soda	0.38
Sulphuric acid	1.27
Carbonic acid and loss	10.40
	100.00

Composition of rotten dung, six months old, is as follows :—

Water	75.42
* Soluble organic matter	3.71
Soluble inorganic matter	1.47
† Soluble organic matter	12.82
Insoluble inorganic matter	6.58
	100.00
* Containing nitrogen297
Equal to ammonia360
† Containing nitrogen309
Equal to ammonia375
Total amount of nitrogen606
Equal to ammonia735
Ammonia in a volatile state046
Ammonia in form of salts057

Composition of the whole ash :—

Soluble in water, 18.27 per cent :—	
Soluble silica	3.16
Phosphate of lime	4.75
Lime	1.44
Magnesia	0.59
Potash	5.58
Soda	0.29
Chloride of sodium	0.46
Sulphuric acid	0.72
Carbonic acid and loss	1.28
Insoluble in water, 81.73 per cent :—	
Soluble silica	17.69
Insoluble silica	12.54
Phosphate of lime
Oxides of iron alumina with phosphates	11.76
(Containing phosphoric acid, 3.40 per cent.)	
(Equal to bone-earth, 7.36 per cent.)	
Lime	20.70
Magnesia	1.17
Potash	0.56
Soda	0.47
Chloride of sodium
Sulphuric acid	0.79
Carbonic acid and loss	16.05
	<hr/>
	100.00

NOTE XIII. (p. 39).

COMPARISON OF FRESH AND ROTTEN MANURE (WOLFF).

	Fresh.	Moderately rotten.
	(Taking the quantity of dry matter as the same.)	
Dry matter	25.00	25.00
Ash	3.81	4.76
Nitrogen	0.39	0.49
Potash	0.45	0.56
Lime	0.49	0.61
Magnesia	0.12	0.15
Phosphoric acid	0.18	0.23
Sulphuric acid	0.10	0.13
Silica	0.86	1.08

NOTE XIV. (p. 39).

LORD KINNAIRD'S EXPERIMENTS.¹

“Lord Kinnaird has given the particulars of a very careful experiment. He tried to test the comparative value of manure kept in an open court with that kept under cover. He selected the same kind of cattle, gave them the same kind and quantity of food, and bedded them with the same kind of straw. A field of 20 acres of uniform land was selected. This having been equally divided, 2 acres out of each 10 gave the following results:—

Potatoes grown with Uncovered Manure.

	Tons.	cwt.	lb.
First measurement—1 acre produced .	7	6	8
Second do. do. do. .	7	18	99

Potatoes grown with Covered Manure.

First measurement—1 acre produced .	11	17	56
Second do. do. do. .	11	12	26

This shows an increase of about 4 tons of potatoes per acre with the covered manure.

“The next year the weather was wet, grain soft and not in very good order, but the following was the amount of produce:—

Wheat grown with Uncovered Manure.

Acre.	Produce in grain.		Weight per bushel.	Produce in straw.	
	bushels.	lb.	lb.	stones.	lb.
First .	41	19	61½	152	of 22
Second .	42	38	61½	160	of 22

Wheat grown with Covered Manure.

First .	53	5	61	220	of 22
Second .	53	47	61	210	of 22”

¹ Scott's Manures and Manuring, p. 19.

NOTE XV. (p. 40).

DRAININGS OF MANURE-HEAPS.

The importance of not separating the liquid portion from the solid portion has already been pointed out in dealing with the composition of the solid excreta and the urine. These two constituents of the manure are complementary to one another, and the value of farmyard manure as a general manure is very much impaired if the liquid portion is not applied along with the solid. In one important respect do the drainings of manure-heaps differ from urine—that is, in the percentage of phosphates they contain, the latter being practically devoid of phosphoric acid.

The following is an analysis of drainings from a manure-heap (Wolff):—

Dry substance	18.0	Magnesia	0.4
Ash	10.7	<i>Phosphoric acid</i>	0.1
Nitrogen	1.5	Sulphuric acid	0.7
Potash	4.9	Silica	0.2
Lime	0.3		

NOTE XVI. (p. 45).

AMOUNTS OF POTASH AND PHOSPHORIC ACID REMOVED BY THE FOLLOWING ROTATIONS FROM A PRUSSIAN MORGEN (.631 ACRE).

	Potash. lb.	Phosphoric acid. lb.
1. Wheat	16.40	10.67
Oats	10.47	4.59
Potatoes	66.41	18.33
Hay	39.54	11.32
	<hr/>	<hr/>
	132.82	44.81

The ratio of potash to phosphoric acid is 2.96 to 1.

2. Wheat	16.90	10.67
Barley	17.44	10.65
Potatoes	66.41	18.33
Hay	39.54	11.32
	<hr/>	<hr/>
	140.29	50.97

The ratio of potash to phosphoric acid is 2.76 to 1.

	Potash. lb.	Phosphoric acid. lb.
3. Rye	20.03	12.15
Oats	10.97	4.59
Potatoes	66.41	18.33
Hay	39.54	11.32
	<u>136.95</u>	<u>46.39</u>

The ratio of potash to phosphoric acid is 2.95 to 1.


4. Wheat	16.90	10.67
Oats	10.97	4.59
Mangels	148.54	25.62
Hay	39.54	11.32
	<u>215.95</u>	<u>52.20</u>

The ratio of potash to phosphoric acid is 4.13 to 1.

5. Rye	20.03	12.15
Barley	17.44	10.65
Mangels	148.54	25.62
Hay	39.54	11.32
	<u>225.55</u>	<u>59.74</u>

The ratio of potash to phosphoric acid is 3.78 to 1.





CATALOGUE

OF

MESSRS BLACKWOOD & SONS'

PUBLICATIONS.

PHILOSOPHICAL CLASSICS FOR ENGLISH READERS.

EDITED BY WILLIAM KNIGHT, LL.D.,
Professor of Moral Philosophy in the University of St Andrews.

In crown 8vo Volumes, with Portraits, price 3s. 6d.

Now ready—

DESCARTES, by Professor Mahaffy, Dublin.—BUTLER, by Rev. W. Lucas Collins, M.A.—BERKELEY, by Professor Campbell Fraser, Edinburgh.—FICHTE, by Professor Adamson, Owens College, Manchester.—KANT, by Professor Wallace, Oxford.—HAMILTON, by Professor Veitch, Glasgow.—HEGEL, by Professor Edward Caird, Glasgow.—LEIBNIZ, by J. Theodore Merz.

—VICO, by Professor Flint, Edinburgh—HOBBS, by Professor Croom Robertson, London.—HUME, by the Editor.—SPINOZA, by the Very Rev. Principal Caird, Glasgow.—BACON: Part I. The Life by Professor Nichol, Glasgow.—BACON: Part II. Philosophy, by the same Author.—LOCKE, by Professor Campbell Fraser, Edinburgh.

MILL, *In preparation.*

FOREIGN CLASSICS FOR ENGLISH READERS.

EDITED BY MRS OLIPHANT.

In crown 8vo, 2s. 6d.

Contents of the Series.

DANTE, by the Editor.—VOLTAIRE, by General Sir E. B. Hamley, K.C.B.—PASCAL, by Principal Tulloch.—PETRARCH, by Henry Reeve, C.B.—GOETHE, by A. Hayward, Q.C.—MOLIERE, by the Editor and F. Tarver, M.A.—MONTAIGNE, by Rev. W. L. Collins, M.A.—RABELAIS, by Walter Besant, M.A.—CALDERON, by E. J. Hasell.—SAINT SIMON, by Clifton W. Collins, M.A.—CERVANTES, by the

Editor.—CORNEILLE AND RACINE, by Henry M. Trollope.—MADAME DE SÉVIGNÉ, by Miss Thackeray.—LA FONTAINE, AND OTHER FRENCH FABULISTS, by Rev. W. Lucas Collins, M.A.—SCHILLER, by James Sime, M.A., Author of 'Lessing, his Life and Writings.'—TASSO, by E. J. Hasell.—ROUSSEAU, by Henry Grey Graham.—ALFRED DE MUSSET, by C. F. Oliphant.

In preparation.

LEOPARDI. By the Editor.

NOW COMPLETE.

ANCIENT CLASSICS FOR ENGLISH READERS.

EDITED BY THE REV. W. LUCAS COLLINS, M.A.

Complete in 28 Vols. crown 8vo, cloth, price 2s. 6d. each. And may also be had in 14 Volumes, strongly and neatly bound, with calf or vellum back, £3, 10s.

Contents of the Series.

HOMER: THE ILIAD, by the Editor.—HOMER: THE ODYSSEY, by the Editor.—HERODOTUS, by George C. Swayne, M.A.—XENOPHON, by Sir Alexander Grant, Bart., LL.D.—EURIPIDES, by W. B. Donne.—ARISTOPHANES, by the Editor.—PLATO, by Clifton W. Collins, M.A.—LUCIAN, by the Editor.—ÆSCHYLUS, by the Right Rev. the Bishop of Colombo.—SOPHOCLÉS, by Clifton W. Collins, M.A.—HESIOD AND THEOGNIS, by the Rev. J. Davies, M.A.—GREEK ANTHOLOGY, by Lord Neaves.—VIRGIL, by the Editor.—HORACE, by Sir Theodore Martin, K.C.B.—JUVENAL, by Edward Walford, M.A.—PLAUTUS AND

TERENCE, by the Editor.—THE COMMENTARIES OF CÆSAR, by Anthony Trollope.—TACITUS, by W. B. Donne.—CICERO, by the Editor.—PLINY'S LETTERS, by the Rev. Alfred Church, M.A., and the Rev. W. J. Brodribb, M.A.—LIVY, by the Editor.—OVID, by the Rev. A. Church, M.A.—CATULLUS, TIBULLUS, AND PROPERTIUS, by the Rev. Jas. Davies, M.A.—DEMOSTHENES, by the Rev. W. J. Brodribb, M.A.—ARISTOTLE, by Sir Alexander Grant, Bart., LL.D.—THUCYDIDES, by the Editor.—LUCRETIVS, by W. H. Mallock, M.A.—PINDAR, by the Rev. F. D. Morice, M.A.

Saturday Review.—"It is difficult to estimate too highly the value of such a series as this in giving 'English readers' an insight, exact as far as it goes, into those olden times which are so remote, and yet to many of us so close."

CATALOGUE

OF

MESSRS BLACKWOOD & SONS'

PUBLICATIONS.

ALISON. History of Europe. By Sir ARCHIBALD ALISON, Bart., D.C.L.

1. From the Commencement of the French Revolution to the Battle of Waterloo.

LIBRARY EDITION, 14 vols., with Portraits. Demy 8vo, £10, 10s.

ANOTHER EDITION, in 20 vols. crown 8vo, £6.

PEOPLE'S EDITION, 13 vols. crown 8vo, £2, 11s.

2. Continuation to the Accession of Louis Napoleon.

LIBRARY EDITION, 8 vols. 8vo, £6, 7s. 6d.

PEOPLE'S EDITION, 8 vols. crown 8vo, 34s.

3. Epitome of Alison's History of Europe. Twenty-ninth Thousand, 7s. 6d.

4. Atlas to Alison's History of Europe. By A. Keith Johnston.

LIBRARY EDITION, demy 4to, £3, 3s.

PEOPLE'S EDITION, 31s. 6d.

——— Life of John Duke of Marlborough. With some Account of his Contemporaries, and of the War of the Succession. Third Edition. 2 vols. 8vo. Portraits and Maps, 30s.

——— Essays: Historical, Political, and Miscellaneous. 3 vols. demy 8vo, 45s.

ACTA SANCTORUM HIBERNIÆ; Ex Codice Salmanticensi.

Nunc primum integre edita opera CAROLI DE SMEDT et JOSEPHI DE BACKER, e Soc. Jesu, Hagiographorum Bollandianorum; Auctore et Sumptus Largiente JOANNE PATRICIO MARCHIONE BOTHÆ. In One handsome 4to Volume, bound in half roxburgh, £2, 2s.; in paper wrapper, 31s. 6d.

AIKMAN. Soils and Manures. By C. M. AIKMAN, B.Sc., &c., Lecturer on Agricultural Chemistry, West of Scotland Technical College. Cr. 8vo.

——— Farmyard Manure: Its Nature, Composition, and Treatment. Crown 8vo.

AIRD. Poetical Works of Thomas Aird. Fifth Edition, with Memoir of the Author by the Rev. JARDINE WALLACE, and Portrait. Crown 8vo, 7s. 6d.

ALLARDYCE. The City of Sunshine. By ALEXANDER ALLARDYCE. Three vols. post 8vo, £1, 5s. 6d.

——— Memoir of the Honourable George Keith Elphinstone, K.B., Viscount Keith of Stonehaven, Marischal, Admiral of the Red. 8vo, with Portrait, Illustrations, and Maps, 21s.

ALMOND. Sermons by a Lay Head-master. By HELY HUTCHINSON ALMOND, M.A. Oxon., Head-master of Loretto School. Crown 8vo, 5s.

ANCIENT CLASSICS FOR ENGLISH READERS. Edited by Rev. W. LUCAS COLLINS, M.A. Price 2s. 6d. each. For list of Vols., see page 2.

AYTOUN. Lays of the Scottish Cavaliers, and other Poems. By W. EDMONDSTOUNE AYTOUN, D.C.L., Professor of Rhetoric and Belles-Lettres in the University of Edinburgh. New Edition. Fcap. 8vo, 3s. 6d.

——— Another Edition. Fcap. 8vo, 7s. 6d. Cheap Edition. 1s. Cloth, 1s. 3d.

——— An Illustrated Edition of the Lays of the Scottish Cavaliers. From designs by Sir NOEL PATON. Small 4to, in gilt cloth, 21s.

——— Bothwell: a Poem. Third Edition. Fcap. 7s. 6d.

——— Poems and Ballads of Goethe. Translated by Professor AYTOUN and Sir THEODORE MARTIN, K.C.B. Third Edition. Fcap., 6s.

- AYTOUN.** Bon Gaultier's Book of Ballads. By the SAME. Fifteenth Edition. With Illustrations by Doyle, Leech, and Crowquill. Fcap. 8vo, 5s.
- The Ballads of Scotland. Edited by Professor AYTOUN. Fourth Edition. 2 vols. fcap. 8vo, 12s.
- Memoir of William E. Aytoun, D.C.L. By Sir THEODORE MARTIN, K.C.B. With Portrait. Post 8vo, 12s.
- BACH.** On Musical Education and Vocal Culture. By ALBERT B. BACH. Fourth Edition. 8vo, 7s. 6d.
- The Principles of Singing. A Practical Guide for Vocalists and Teachers. With Course of Vocal Exercises. Crown 8vo, 6s.
- The Art of Singing. With Musical Exercises for Young People. Crown 8vo, 3s.
- The Art Ballad: Loewe and Schubert. With Music Illustrations. With a Portrait of LOEWE. Third Edition. Small 4to. 5s.
- BALLADS AND POEMS.** By MEMBERS OF THE GLASGOW BALLAD CLUB. Crown 8vo, 7s. 6d.
- BANNATYNE.** Handbook of Republican Institutions in the United States of America. Based upon Federal and State Laws, and other reliable sources of information. By DUGALD J. BANNATYNE, Scotch Solicitor, New York; Member of the Faculty of Procurators, Glasgow. Cr. 8vo, 7s. 6d.
- BELLAIRS.** The Transvaal War, 1880-81. Edited by Lady BELLAIRS. With a Frontispiece and Map. 8vo, 15s.
- Gossips with Girls and Maidens, Betrothed and Free. New Edition. Crown 8vo, 3s. 6d. Cloth, extra gilt edges, 5s.
- BESANT.** The Revolt of Man. By WALTER BESANT, M.A. Ninth Edition. Crown 8vo, 3s. 6d.
- Readings in Rabelais. Crown 8vo, 7s. 6d.
- BEVERIDGE.** Culross and Tulliallan; or Perthshire on Forth. Its History and Antiquities. With Elucidations of Scottish Life and Character from the Burgh and Kirk-Session Records of that District. By DAVID BEVERIDGE. 2 vols. 8vo, with Illustrations, 42s.
- Between the Ochils and the Forth; or, From Stirling Bridge to Aberdour. Crown 8vo, 6s.
- BLACK.** Heligoland and the Islands of the North Sea. By WILLIAM GEORGE BLACK. Crown 8vo, 4s.
- BLACKIE.** Lays and Legends of Ancient Greece. By JOHN STUART BLACKIE, Emeritus Professor of Greek in the University of Edinburgh. Second Edition. Fcap. 8vo. 5s.
- The Wisdom of Goethe. Fcap. 8vo. Cloth, extra gilt, 6s.
- Scottish Song: Its Wealth, Wisdom, and Social Significance. Crown 8vo. With Music. 7s. 6d.
- A Song of Heroes. Crown 8vo, 6s.
- BLACKWOOD'S MAGAZINE,** from Commencement in 1817 to April 1892. Nos. 1 to 918, forming 150 Volumes.
- Index to Blackwood's Magazine. Vols. 1 to 50. 8vo, 15s.
- BLACKWOOD.** Tales from Blackwood. Price One Shilling each, in Paper Cover. Sold separately at all Railway Bookstalls.
- They may also be had bound in cloth, 18s., and in half calf, richly gilt, 30s.
- Or 12 volumes in 6. roxburghe, 21s., and half red morocco, 28s.
- Tales from Blackwood. New Series. Complete in Twenty-four Shilling Parts. Handsomely bound in 12 vols., cloth, 30s. In leather back. roxburghe style, 37s. 6d. In half calf, gilt, 52s. 6d. In half morocco, 55s.
- Tales from Blackwood. Third Series. Complete in 6 vols. Handsomely bound in cloth, 15s.; or in 12 vols. 18s. Bound in roxburghe, 21s. Half calf, 25s. Half morocco, 28s. Also in 12 parts, price 1s. each.
- Travel, Adventure, and Sport. From 'Blackwood's Magazine.' Uniform with 'Tales from Blackwood.' In Twelve Parts, each price 1s. Or handsomely bound in 6 vols., 15s. Half calf, 25s.

BLACKWOOD. New Uniform Series of Three-and-Sixpenny Novels

(Copyright). Crown 8vo, cloth. Now ready :—

- REATA. By E. D. Gerard.
 BEGGAR MY NEIGHBOUR. By the Same.
 THE WATERS OF HERCULES. By the Same.
 SONS AND DAUGHTERS. By Mrs Oliphant.
 FAIR TO SEE. By L. W. M. Lockhart.
 THE REVOLT OF MAN. By Walter Besant.
 MINE IS THINE. By L. W. M. Lockhart.
 ALTIORA PETO. By Laurence Oliphant.
 DOUBLES AND QUITS. By L. W. M. Lockhart.
 LADY BABY. By D. Gerard.
- HURRISH. By the Hon. Emily Lawless.
 THE BLACKSMITH OF VOE. By Paul Cushing.
 THE DILEMMA. By the Author of 'The Battle of Dorking.'
 MY TRIVIAL LIFE AND MISFORTUNE. By A Plain Woman.
 POOR NELLIE. By the Same.
 PICCADILLY. By Laurence Oliphant. With Illustrations.

*Others in preparation.***Standard Novels. Uniform in size and legibly Printed.**

Each Novel complete in one volume.

FLORIN SERIES, Illustrated Boards. Or in New Cloth Binding, 2s. 6d.

- TOM CRINGLE'S LOG. By Michael Scott.
 THE CRUISE OF THE MIDGE. By the Same.
 CYRIL THORNTON. By Captain Hamilton.
 ANNALS OF THE PARISH. By John Galt.
 THE PROVOST, &c. By John Galt.
 SIR ANDREW WYLIE. By John Galt.
 THE ENTAIL. By John Galt.
 MISS MOLLY. By Beatrice May Butt.
 REGINALD DALTON. By J. G. Lockhart.
- PEN OWEN. By Dean Hook.
 ADAM BLAIR. By J. G. Lockhart.
 LADY LEE'S WIDOWHOOD. By General Sir E. B. Hamley.
 SALEM CHAPEL. By Mrs Oliphant.
 THE PERPETUAL CURATE. By Mrs Oliphant.
 MISS MARJORIBANKS. By Mrs Oliphant.
 JOHN: A LOVE STORY. By Mrs Oliphant.

SHILLING SERIES, Illustrated Cover. Or in New Cloth Binding, 1s. 6d.

- THE RECTOR, and THE DOCTOR'S FAMILY. By Mrs Oliphant.
 THE LIFE OF MANSIE WAUCH. By D. M. Moir.
 PENINSULAR SCENES AND SKETCHES. By F. Hardman.
- SIR FRIZZLE PUMPKIN, NIGHTS AT MESS &c.
 THE SUBALTERN.
 LIFE IN THE FAR WEST. By G. F. Ruxton.
 VALERIUS: A ROMAN STORY. By J. G. Lockhart.

BLACKMORE. The Maid of Sker. By R. D. BLACKMORE, Author of 'Lorna Doone,' &c. New Edition. Crown 8vo, 6s.**BLAIR. History of the Catholic Church of Scotland. From the Introduction of Christianity to the Present Day. By ALPHONS BELLESHEIM, D.D., Canon of Aix-la-Chapelle. Translated, with Notes and Additions, by D. OSWALD HUNTER BLAIR, O.S.B., Monk of Fort Augustus. Complete in 4 vols. demy 8vo, with Maps. Price 12s. 6d. each.****BONNAR. Biographical Sketch of George Meikle Kemp, Architect of the Scott Monument, Edinburgh. By THOMAS BONNAR, F.S.A. Scot., Author of 'The Present Art Revival,' 'The Past of Art in Scotland,' 'Suggestions for the Picturesque of Interiors,' &c. With Three Portraits and numerous Illustrations. In One Volume, post 8vo.****BOSCOBEL TRACTS. Relating to the Escape of Charles the Second after the Battle of Worcester, and his subsequent Adventures. Edited by J. HUGHES, Esq., A.M. A New Edition, with additional Notes and Illustrations, including Communications from the Rev. R. H. BARHAM, Author of the 'Ingoldsby Legends.' 8vo, with Engravings, 16s.****BROUGHAM. Memoirs of the Life and Times of Henry Lord Brougham. Written by HIMSELF. 3 vols. 8vo, £2, 8s. The Volumes are sold separately, price 16s. each.****BROWN. The Forester: A Practical Treatise on the Planting, Rearing, and General Management of Forest-trees. By JAMES BROWN, LL.D., Inspector of and Reporter on Woods and Forests. Fifth Edition, revised and enlarged. Royal 8vo, with Engravings, 36s.****BROWN. A Manual of Botany, Anatomical and Physiological. For the Use of Students. By ROBERT BROWN, M.A., Ph.D. Crown 8vo, with numerous Illustrations, 12s. 6d.****BRUCE. In Clover and Heather. Poems by WALLACE BRUCE. New and Enlarged Edition. Crown 8vo, 4s. 6d.***A limited number of Copies of the First Edition, on large hand-made paper, 12s. 6d.***BRYDALL. Art in Scotland; its Origin and Progress. By ROBERT BRYDALL Master of St George's Art School of Glasgow. 8vo, 12s. 6d.**

- BUCHAN.** Introductory Text-Book of Meteorology. By **ALEXANDER BUCHAN, M.A., F.R.S.E.**, Secretary of the Scottish Meteorological Society, &c. Crown 8vo, with 8 Coloured Charts and Engravings, 4s. 6d.
- BUCHANAN.** The Shirè Highlands (East Central Africa). By **JOHN BUCHANAN**, Planter at Zomba. Crown 8vo, 5s.
- BURBIDGE.** Domestic Floriculture, Window Gardening, and Floral Decorations. Being practical directions for the Propagation, Culture, and Arrangement of Plants and Flowers as Domestic Ornaments. By **F. W. BURBIDGE**. Second Edition. Crown 8vo, with numerous Illustrations, 7s. 6d.
- **Cultivated Plants: Their Propagation and Improvement.** Including Natural and Artificial Hybridisation, Raising from Seed, Cuttings, and Layers, Grafting and Budding, as applied to the Families and Genera in Cultivation. Crown 8vo, with numerous Illustrations, 12s. 6d.
- BURTON.** The History of Scotland: From Agricola's Invasion to the Extinction of the last Jacobite Insurrection. By **JOHN HILL BURTON, D.C.L.**, Historiographer-Royal for Scotland. New and Enlarged Edition. 8 vols., and Index. Crown 8vo, £3, 3s.
- **History of the British Empire during the Reign of Queen Anne.** In 3 vols. 8vo. 36s.
- **The Scot Abroad.** Third Edition. Crown 8vo, 10s. 6d.
- **The Book-Hunter.** New Edition. With Portrait. Crown 8vo, 7s. 6d.
- BUTE.** The Roman Breviary: Reformed by Order of the Holy Œcumenical Council of Trent; Published by Order of Pope St Pius V.; and Revised by Clement VIII. and Urban VIII.; together with the Offices since granted. Translated out of Latin into English by **JOHN**, Marquess of Bute, K.T. In 2 vols. crown 8vo, cloth boards, edges uncut. £2, 2s.
- **The Altus of St Columba.** With a Prose Paraphrase and Notes. In paper cover, 2s. 6d.
- BUTLER.** Pompeii: Descriptive and Picturesque. By **W. BUTLER**. Post 8vo, 5s.
- BUTT.** Miss Molly. By **BEATRICE MAY BUTT**. Cheap Edition, 2s.
- **Ingelheim.** A Novel. 3 vols. crown 8vo, 25s. 6d.
- **Eugenie.** Crown 8vo, 6s. 6d.
- **Elizabeth, and Other Sketches.** Crown 8vo, 6s.
- **Novels.** New and Uniform Edition. Crown 8vo, each 2s. 6d.
- Delicia. Now ready.*
- CAIRD.** Sermons. By **JOHN CAIRD, D.D.**, Principal of the University of Glasgow. Sixteenth Thousand. Fcap. 8vo, 5s.
- **Religion in Common Life.** A Sermon preached in Crathie Church, October 14, 1855, before Her Majesty the Queen and Prince Albert. Published by Her Majesty's Command. Cheap Edition, 3d.
- CALDER.** Chaucer's Canterbury Pilgrimage. Epitomised by **WILLIAM CALDER**. With Photogravure of the Pilgrimage Company, and other Illustrations, Glossary, &c. Crown 8vo, 4s.
- CAMPBELL.** Critical Studies in St Luke's Gospel: Its Demonology and Ebionitism. By **COLIN CAMPBELL, B.D.**, Minister of the Parish of Dundee, formerly Scholar and Fellow of Glasgow University. Author of the 'Three First Gospels in Greek, arranged in parallel columns. Post 8vo, 7s. 6d.
- CAMPBELL.** Sermons Preached before the Queen at Balmoral. By the Rev. **A. A. CAMPBELL**, Minister of Crathie. Published by Command of Her Majesty. Crown 8vo, 4s. 6d.
- CAMPBELL.** Records of Argyll. Legends, Traditions, and Recollections of Argyllshire Highlanders, collected chiefly from the Gaelic. With Notes on the Antiquity of the Dress, Clan Colours or Tartans of the Highlanders. By **LORD ARCHIBALD CAMPBELL**. Illustrated with Nineteen full-page Etchings. 4to, printed on hand-made paper, £3, 3s.
- CANTON.** A Lost Epic, and other Poems. By **WILLIAM CANTON**. Crown 8vo, 5s.

- CARRICK.** Koumiss; or, Fermented Mare's Milk: and its Uses in the Treatment and Cure of Pulmonary Consumption, and other Wasting Diseases. With an Appendix on the best Methods of Fermenting Cow's Milk. By GEORGE L. CARRICK, M.D., L.R.C.S.E. and L.R.C.P.E., Physician to the British Embassy, St Petersburg, &c. Crown 8vo, 10s. 6d.
- CARSTAIRS.** British Work in India. By R. CARSTAIRS. Cr. 8vo, 6s.
- CAUVIN.** A Treasury of the English and German Languages. Compiled from the best Authors and Lexicographers in both Languages. By JOSEPH CAUVIN, LL.D. and Ph.D., of the University of Göttingen, &c. Crown 8vo, 7s. 6d.
- CAVE-BROWN.** Lambeth Palace and its Associations. By J. CAVE-BROWN, M.A., Vicar of Detling, Kent, and for many years Curate of Lambeth Parish Church. With an Introduction by the Archbishop of Canterbury. Second Edition, containing an additional Chapter on Medieval Life in the Old Palaces. 8vo, with Illustrations, 21s.
- CHARTERIS.** Canonicy; or, Early Testimonies to the Existence and Use of the Books of the New Testament. Based on Kirchoffer's 'Quellenammlung.' Edited by A. H. CHARTERIS, D.D., Professor of Biblical Criticism in the University of Edinburgh. 8vo, 18s.
- CHRISTISON.** Life of Sir Robert Christison, Bart., M.D., D.C.L. Oxon., Professor of Medical Jurisprudence in the University of Edinburgh. Edited by his Sons. In two vols. 8vo. Vol. I.—Autobiography. 16s. Vol. II.—Memoirs. 16s.
- CHRONICLES OF WESTERLY:** A Provincial Sketch. By the Author of 'Culmshire Folk,' 'John Orlebar,' &c. 3 vols. crown 8vo, 25s. 6d.
- CHURCH SERVICE SOCIETY.** A Book of Common Order: Being Forms of Worship issued by the Church Service Society. Sixth Edition. Crown, 8vo, 6s. Also in 2 vols, crown 8vo, 6s. 6d.
- CLOUSTON.** Popular Tales and Fictions: their Migrations and Transformations. By W. A. CLOUSTON, Editor of 'Arabian Poetry for English Readers,' &c. 2 vols. post 8vo, roxburghe binding, 25s.
- COCHRAN.** A Handy Text-Book of Military Law. Compiled chiefly to assist Officers preparing for Examination; also for all Officers of the Regular and Auxiliary Forces. Comprising also a Synopsis of part of the Army Act. By Major F. COCHRAN, Hampshire Regiment Garrison Instructor, North British District. Crown 8vo, 7s. 6d.
- COLQUHOUN.** The Moor and the Loch. Containing Minute Instructions in all Highland Sports, with Wanderings over Crag and Corrie, Flood and Fell. By JOHN COLQUHOUN. Seventh Edition. With Illustrations. 8vo, 21s.
- COTTERILL.** Suggested Reforms in Public Schools. By C. C. COTTERILL, M.A. Crown 8vo, 3s. 6d.
- CRANSTOUN.** The Elegies of Albius Tibullus. Translated into English Verse, with Life of the Poet, and Illustrative Notes. By JAMES CRANSTOUN, LL.D., Author of a Translation of 'Catullus.' Crown 8vo, 6s. 6d.
- The Elegies of Sextus Propertius. Translated into English Verse, with Life of the Poet, and Illustrative Notes. Crown 8vo, 7s. 6d.
- CRAWFORD.** Saracinesca. By F. MARION CRAWFORD, Author of 'Mr Isaacs,' 'Dr Claudius,' 'Zoroaster,' &c. &c. Fifth Ed. Crown 8vo, 6s.
- CRAWFORD.** The Doctrine of Holy Scripture respecting the Atonement. By the late THOMAS J. CRAWFORD, D.D., Professor of Divinity in the University of Edinburgh. Fifth Edition. 8vo, 12s.
- The Fatherhood of God, Considered in its General and Special Aspects. Third Edition, Revised and Enlarged. 8vo, 9s.
- The Preaching of the Cross, and other Sermons. 8vo, 7s. 6d.
- The Mysteries of Christianity. Crown 8vo, 7s. 6d.
- CRAWFORD.** An Atonement of East London, and other Poems. By HOWARD CRAWFORD, M.A. Crown 8vo, 5s.
- CUSHING.** The Blacksmith of Voe. By PAUL CUSHING, Author of 'The Bull i' th' Thorn.' Cheap Edition. Crown 8vo, 3s. 6d.
- Cut with his own Diamond. A Novel. 3 vols. cr. 8vo, 25s. 6d.

- DAVIES. Norfolk Broads and Rivers; or, The Waterways, Lagoons, and Decoys of East Anglia. By G. CHRISTOPHER DAVIES. Illustrated with Seven full-page Plates. New and Cheaper Edition. Crown 8vo, 6s.
- Our Home in Aveyron. Sketches of Peasant Life in Aveyron and the Lot. By G. CHRISTOPHER DAVIES and Mrs BROUGHALL. Illustrated with full-page Illustrations. 8vo, 15s. Cheap Edition, 7s. 6d.
- DAYNE. Tribute to Satan. A Novel. By J. BELFORD DAYNE, Author of 'In the Name of the Tzar.' Crown 8vo, 2s. 6d.
- DE LA WARR. An Eastern Cruise in the 'Edeline.' By the Countess DE LA WARR. In Illustrated Cover. 2s.
- DESCARTES. The Method, Meditations, and Principles of Philosophy of Descartes. Translated from the Original French and Latin. With a New Introductory Essay, Historical and Critical, on the Cartesian Philosophy. By Professor VEITCH, LL.D., Glasgow University. Ninth Edition. 6s. 6d.
- DICKSON. Gleanings from Japan. By W. G. DICKSON, Author of 'Japan: Being a Sketch of its History, Government, and Officers of the Empire.' With Illustrations. 8vo, 16s.
- DOGS, OUR DOMESTICATED: Their Treatment in reference to Food, Diseases, Habits, Punishment, Accomplishments. By 'MAGENTA.' Crown 8vo, 2s. 6d.
- DOMESTIC EXPERIMENT, A. By the Author of 'Ideala: A Study from Life.' Crown 8vo, 6s.
- DR HERMIONE. By the Author of 'Lady Bluebeard,' 'Zit and Xoe.' Crown 8vo, 6s.
- DU CANE. The Odyssey of Homer, Books I.-XII. Translated into English Verse. By Sir CHARLES DU CANE, K.C.M.G. 8vo, 10s. 6d.
- DUDGEON. History of the Edinburgh or Queen's Regiment Light Infantry Militia, now 3rd Battalion The Royal Scots; with an Account of the Origin and Progress of the Militia, and a Brief Sketch of the old Royal Scots. By Major R. C. DUDGEON, Adjutant 3rd Battalion The Royal Scots. Post 8vo, with Illustrations, 10s. 6d.
- DUNCAN. Manual of the General Acts of Parliament relating to the Salmon Fisheries of Scotland from 1828 to 1882. By J. BARKER DUNCAN. Crown 8vo, 5s.
- DUNSMORE. Manual of the Law of Scotland as to the Relations between Agricultural Tenants and their Landlords, Servants, Merchants, and Bowers. By W. DUNSMORE. 8vo, 7s. 6d.
- DUPRÉ. Thoughts on Art, and Autobiographical Memoirs of Giovanni Duprè. Translated from the Italian by E. M. PERUZZI, with the permission of the Author. New Edition. With an Introduction by W. W. STORY. Crown 8vo, 10s. 6d.
- ELIOT. George Eliot's Life, Related in her Letters and Journals. Arranged and Edited by her husband, J. W. CROSS. With Portrait and other Illustrations. Third Edition. 3 vols. post 8vo, 42s.
- George Eliot's Life. (Cabinet Edition.) With Portrait and other Illustrations. 3 vols. crown 8vo, 15s.
- George Eliot's Life. With Portrait and other Illustrations. New Edition, in one volume. Crown 8vo, 7s. 6d.
- Works of George Eliot (Cabinet Edition). Handsomely printed in a new type, 21 volumes, crown 8vo, price £5, 5s. The Volumes are also sold separately, price 5s. each, viz. :—
- Romola. 2 vols.—Silas Marner, The Lifted Veil, Brother Jacob. 1 vol.—Adam Bede. 2 vols.—Scenes of Clerical Life. 2 vols.—The Mill on the Floss. 2 vols.—Felix Holt. 2 vols.—Middlemarch. 3 vols.—Daniel Deronda. 3 vols.—The Spanish Gypsy. 1 vol.—Jubal, and other Poems, Old and New. 1 vol.—Theophrastus Such. 1 vol.—Essays. 1 vol.
- Novels by GEORGE ELIOT. Cheap Edition. Adam Bede. Illustrated. 3s. 6d., cloth.—The Mill on the Floss. Illustrated. 3s. 6d., cloth.—Scenes of Clerical Life. Illustrated. 3s., cloth.—Silas Marner: the Weaver of Raveloe. Illustrated. 2s. 6d., cloth.—Felix Holt, the Radical. Illustrated. 3s. 6d., cloth.—Romola. With Vignette. 3s. 6d., cloth.
- Middlemarch. Crown 8vo, 7s. 6d.

- ELIOT.** Daniel Deronda. Crown 8vo, 7s. 6d.
 ——— Essays. New Edition. Crown 8vo, 5s.
 ——— Impressions of Theophrastus Such. New Ed. Cr. 8vo, 5s.
 ——— The Spanish Gypsy. New Edition. Crown 8vo, 5s.
 ——— The Legend of Jubal, and other Poems, Old and New.
 New Edition. Crown 8vo, 5s.
 ——— Wise, Witty, and Tender Sayings, in Prose and Verse.
 Selected from the Works of GEORGE ELIOT. Eighth Edition. Fcap. 8vo, 6s.
 ——— The George Eliot Birthday Book. Printed on fine paper,
 with red border, and handsomely bound in cloth, gilt. Fcap. 8vo, cloth, 3s. 6d.
 And in French morocco or Russia, 5s.
- ESSAYS ON SOCIAL SUBJECTS.** Originally published in the
 'Saturday Review.' New Ed. First & Second Series. 2 vols. cr. 8vo, 6s. each.
- EWALD.** The Crown and its Advisers; or, Queen, Ministers,
 Lords and Commons. By ALEXANDER CHARLES EWALD, F.S.A. Crown 8vo, 5s.
- FAITHS OF THE WORLD,** The. A Concise History of the
 Great Religious Systems of the World. By various Authors. Crown 8vo, 5s.
- FARRER.** A Tour in Greece in 1880. By RICHARD RIDLEY
 FARRER. With Twenty-seven full-page Illustrations by LORD WINDSOR.
 Royal 8vo, with a Map, 21s.
- FERRIER.** Philosophical Works of the late James F. Ferrier,
 B.A. Oxon., Professor of Moral Philosophy and Political Economy, St Andrews.
 New Edition. Edited by Sir ALEX. GRANT, Bart., D.C.L., and Professor
 LUSHINGTON. 3 vols. crown 8vo, 34s. 6d.
 ——— Institutes of Metaphysic. Third Edition. 10s. 6d.
 ——— Lectures on the Early Greek Philosophy. 3d Ed. 10s. 6d.
 ——— Philosophical Remains, including the Lectures on Early
 Greek Philosophy. 2 vols., 24s.
- FITZROY.** Dogma and the Church of England. By A. I. FITZROY.
 Post 8vo, 7s. 6d.
- FLINT.** The Philosophy of History in Europe. By ROBERT
 FLINT, D.D., LL.D., Professor of Divinity, University of Edinburgh. 2 vols.
 8vo. [New Edition in preparation.]
- Theism. Being the Baird Lecture for 1876. Eighth Edi-
 tion. Crown 8vo, 7s. 6d.
 ——— Anti-Theistic Theories. Being the Baird Lecture for 1877.
 Fourth Edition. Crown 8vo, 10s. 6d.
 ——— Agnosticism. Being the Croall Lectures for 1887-88.
 [In the press.]
- FORBES.** Insulinde: Experiences of a Naturalist's Wife in the
 Eastern Archipelago. By Mrs H. O. FORBES. Crown 8vo, with a Map. 4s. 6d.
- FOREIGN CLASSICS FOR ENGLISH READERS.** Edited
 by Mrs OLIPHANT. Price 2s. 6d. For List of Volumes published, see page 2.
- FOSTER.** The Fallen City, and Other Poems. By WILL FOSTER.
 Crown 8vo, 6s.
- FRANCILLON.** Gods and Heroes; or, The Kingdom of Jupiter.
 By R. E. FRANCILLON. With 8 Illustrations. Crown 8vo, 5s.
- FULLARTON.** Merlin: A Dramatic Poem. By RALPH MACLEOD
 FULLARTON. Crown 8vo, 5s.
- GALT.** Novels by JOHN GALT. Fcap. 8vo, boards, 2s.; cloth, 2s. 6d.
 Annals of the Parish.—The Provost.—Sir Andrew Wylie.—
 The Entail.
- GENERAL ASSEMBLY OF THE CHURCH OF SCOTLAND.**
 ——— Prayers for Social and Family Worship. Prepared by a
 Special Committee of the General Assembly of the Church of Scotland. En-
 tirely New Edition, Revised and Enlarged. Fcap. 8vo, red edges, 2s.
 ——— Prayers for Family Worship. A Selection from the com-
 plete book. Fcap. 8vo, red edges, price 1s.

GENERAL ASSEMBLY OF THE CHURCH OF SCOTLAND.

- Scottish Hymnal, with Appendix Incorporated. Published for Use in Churches by Authority of the General Assembly. 1. Large type, cloth, red edges, 2s. 6d.; French morocco, 4s. 2. Bourgeois type, limp cloth, 1s.; French morocco, 2s. 3. Nonpareil type, cloth, red edges, 6d.; French morocco, 1s. 4d. 4. Paper covers, 3d. 5. Sunday-School Edition, paper covers, 1d. No. 1, bound with the Psalms and Paraphrases, French morocco, 8s. No. 2, bound with the Psalms and Paraphrases, cloth, 2s.; French morocco, 3s.
- GERARD. *Reata: What's in a Name.* By E. D. GERARD. Cheap Edition. Crown 8vo, 3s. 6d.
- *Beggar my Neighbour.* Cheap Edition. Crown 8vo, 3s. 6d.
- *The Waters of Hercules.* Cheap Edition. Crown 8vo, 3s. 6d.
- GERARD. *The Land beyond the Forest. Facts, Figures, and Fancies from Transylvania.* By E. GERARD. In Two Volumes. With Maps and Illustrations. 25s.
- *Bis: Some Tales Retold.* Crown 8vo, 6s.
- *A Secret Mission.* 2 vols. crown 8vo, 17s.
- GERARD. *Lady Baby.* By DOROTHEA GERARD, Author of 'Orthodox.' Cheap Edition. Crown 8vo, 3s. 6d.
- *Recha.* Second Edition. Crown 8vo, 6s.
- GERARD. *Stonyhurst Latin Grammar.* By Rev. JOHN GERARD. *[New Edition in preparation.]*
- GILL. *Free Trade: an Inquiry into the Nature of its Operation.* By RICHARD GILL. Crown 8vo, 7s. 6d.
- *Free Trade under Protection.* Crown 8vo, 7s. 6d.
- GOETHE'S FAUST. Translated into English Verse by Sir THEODORE MARTIN, K.C.B. Part I. Second Edition, post 8vo, 6s. Ninth Edition, fcap., 3s. 6d. Part II. Second Edition, revised. Fcap. 8vo, 6s.
- GOETHE. *Poems and Ballads of Goethe.* Translated by Professor AYTOUN and Sir THEODORE MARTIN, K.C.B. Third Edition, fcap. 8vo, 6s.
- GOODALL. *Juxta Crucem. Studies of the Love that is over us.* By the late Rev. CHARLES GOODALL, B.D., Minister of Barr. With a Memoir by Rev. Dr Strong, Glasgow, and Portrait. Crown 8vo, 6s.
- GORDON CUMMING. *Two Happy Years in Ceylon.* By C. F. GORDON CUMMING. With 15 full-page Illustrations and a Map. Fourth Edition. 2 vols. 8vo, 30s.
- *At Home in Fiji.* Fourth Edition, post 8vo. With Illustrations and Map. 7s. 6d.
- *A Lady's Cruise in a French Man-of-War.* New and Cheaper Edition. 8vo. With Illustrations and Map. 12s. 6d.
- *Fire-Fountains. The Kingdom of Hawaii: Its Volcanoes, and the History of its Missions.* With Map and Illustrations. 2 vols. 8vo, 25s.
- *Wanderings in China.* New and Cheaper Edition. 8vo, with Illustrations, 10s.
- *Granite Crags: The Yō-semité Region of California.* Illustrated with 8 Engravings. New and Cheaper Edition. 8vo, 8s. 6d.
- GRAHAM. *The Life and Work of Syed Ahmed Khan, C.S.I.* By Lieut.-Colonel G. F. I. GRAHAM, B.S.C. 8vo, 14s.
- GRAHAM. *Manual of the Elections (Scot.) (Corrupt and Illegal Practices) Act, 1890.* With Analysis, Relative Act of Sederunt, Appendix containing the Corrupt Practices Acts of 1883 and 1885, and Copious Index. By J. EDWARD GRAHAM, Advocate. 8vo, 4s. 6d.
- GRANT. *Bush-Life in Queensland.* By A. C. GRANT. New Edition. Crown 8vo, 6s.
- GRIFFITHS. *Locked Up.* By Major ARTHUR GRIFFITHS, Author of 'The Wrong Road,' 'Chronicles of Newgate,' &c. With Illustrations by C. J. STANLAND, R.I. Crown 8vo, 2s. 6d.
- GUTHRIE-SMITH. *Crispus: A Drama.* By H. GUTHRIE-SMITH. In one volume. Fcap. 4to, 5s.

- HAINES.** Unless ! A Romance. By RANDOLPH HAINES. Crown 8vo, 6s.
- HALDANE.** Subtropical Cultivations and Climates. A Handy Book for Planters, Colonists, and Settlers. By R. C. HALDANE. Post 8vo, 9s.
- HALLETT.** A Thousand Miles on an Elephant in the Shan States. By HOLT S. HALLETT, M. Inst. C.E., F.R.G.S., M.R.A.S., Hon. Member Manchester and Tyneside Geographical Societies. 8vo, with Maps and numerous Illustrations, 21s.
- HAMERTON.** Wenderholme : A Story of Lancashire and Yorkshire Life. By PHILIP GILBERT HAMERTON, Author of 'A Painter's Camp.' A New Edition. Crown 8vo, 6s.
- HAMILTON.** Lectures on Metaphysics. By Sir WILLIAM HAMILTON, Bart., Professor of Logic and Metaphysics in the University of Edinburgh. Edited by the Rev. H. L. MANSEL, B.D., LL.D., Dean of St Paul's ; and JOHN VEITCH, M.A., LL.D., Professor of Logic and Rhetoric, Glasgow. Seventh Edition. 2 vols. 8vo, 24s.
- Lectures on Logic. Edited by the SAME. Third Edition. 2 vols., 24s.
- Discussions on Philosophy and Literature, Education and University Reform. Third Edition, 8vo, 21s.
- Memoir of Sir William Hamilton, Bart., Professor of Logic and Metaphysics in the University of Edinburgh. By Professor VEITCH, of the University of Glasgow. 8vo, with Portrait, 18s.
- Sir William Hamilton : The Man and his Philosophy. Two Lectures delivered before the Edinburgh Philosophical Institution, January and February 1883. By the SAME. Crown 8vo, 2s.
- HAMLEY.** The Operations of War Explained and Illustrated. By General Sir EDWARD BRUCE HAMLEY, K. C.B., K.C.M.G., M.P. Fifth Edition, revised throughout. 4to, with numerous Illustrations, 30s.
- National Defence ; Articles and Speeches. Post 8vo, 6s.
- Shakespeare's Funeral, and other Papers. Post 8vo, 7s. 6d.
- Thomas Carlyle : An Essay. Second Ed. Cr. 8vo, 2s. 6d.
- On Outposts. Second Edition. 8vo, 2s.
- Wellington's Career ; A Military and Political Summary. Crown 8vo, 2s.
- Lady Lee's Widowhood. Crown 8vo, 2s. 6d.
- Our Poor Relations. A Philozoic Essay. With Illustrations, chiefly by Ernest Griset. Crown 8vo, cloth gilt, 3s. 6d.
- HAMLEY.** Guilty, or Not Guilty? A Tale. By Major-General W. G. HAMLEY, late of the Royal Engineers. New Edition. Crown 8vo, 3s. 6d.
- HARRISON.** The Scot in Ulster. The Story of the Scottish Settlement in Ulster. By JOHN HARRISON, Author of 'Oure Tounis Colledge.' Crown 8vo, 2s. 6d.
- HASELL.** Bible Partings. By E. J. HASELL. Crown 8vo, 6s.
- Short Family Prayers. Cloth, 1s.
- HAY.** The Works of the Right Rev. Dr George Hay, Bishop of Edinburgh. Edited under the Supervision of the Right Rev. Bishop STRAIN. With Memoir and Portrait of the Author. 5 vols. crown 8vo, bound in extra cloth, £1, 1s. The following Volumes may be had separately—viz :
The Devout Christian Instructed in the Law of Christ from the Written Word. 2 vols., 8s.—The Pious Christian Instructed in the Nature and Practice of the Principal Exercises of Piety. 1 vol., 3s.
- HEATLEY.** The Horse-Owner's Safeguard. A Handy Medical Guide for every Man who owns a Horse. By G. S. HEATLEY, M.R.C.V.S. Crown 8vo, 5s.
- The Stock-Owner's Guide. A Handy Medical Treatise for every Man who owns an Ox or a Cow. Crown 8vo, 4s. 6d.
- HEDDERWICK.** Lays of Middle Age ; and other Poems. By JAMES HEDDERWICK, LL.D. Price 3s. 6d.

- HEDDERWICK.** Backward Glances; or, Some Personal Recollections. With a Portrait. Post 8vo, 7s. 6d.
- HEMANS.** The Poetical Works of Mrs Hemans. Copyright Editions.—Royal 8vo, 5s.—The Same, with Engravings, cloth, gilt edges, 7s. 6d.—Six Vols. in Three, fcap., 12s. 6d.
- SELECT POEMS OF MRS HEMANS. Fcap., cloth, gilt edges, 3s.
- HERKLESS.** Cardinal Beaton Priest and Politician. By JOHN HERKLESS, Minister of Tannadice. With a Portrait. Post 8vo, 7s. 6d.
- HOME PRAYERS.** By Ministers of the Church of Scotland and Members of the Church Service Society. Second Edition. Fcap. 8vo, 3s.
- HOMER.** The Odyssey. Translated into English Verse in the Spenserian Stanza. By PHILIP STANHOPE WORSLEY. Third Edition, 2 vols. fcap., 12s.
- The Iliad. Translated by P. S. WORSLEY and Professor CONINGTON. 2 vols. crown 8vo, 21s.
- HUTCHINSON.** Hints on the Game of Golf. By HORACE G. HUTCHINSON. Sixth Edition, Enlarged. Fcap. 8vo, cloth, 1s.
- IDDESLEIGH.** Lectures and Essays. By the late EARL OF IDDESLEIGH, G.C.B., D.C.L., &c. 8vo, 16s.
- Life, Letters, and Diaries of Sir Stafford Northcote, First Earl of Iddesleigh. By ANDREW LANG. With Three Portraits and a View of Pynes. Third Edition. 2 vols. Post 8vo, 31s. 6d.
- POPULAR EDITION. In one volume. With two Plates. Post 8vo, 7s. 6d.
- INDEX GEOGRAPHICUS:** Being a List, alphabetically arranged, of the Principal Places on the Globe, with the Countries and Subdivisions of the Countries in which they are situated, and their Latitudes and Longitudes. Imperial 8vo, pp. 676, 21s.
- JEAN JAMBON.** Our Trip to Blunderland; or, Grand Excursion to Blundertown and Back. By JEAN JAMBON. With Sixty Illustrations designed by CHARLES DOYLE, engraved by DALZIEL. Fourth Thousand. Cloth, gilt edges, 6s. 6d. Cheap Edition, cloth, 3s. 6d. Boards, 2s. 6d.
- JENNINGS.** Mr Gladstone: A Study. By LOUIS J. JENNINGS, M.P., Author of 'Republican Government in the United States,' 'The Croker Memoirs,' &c. Popular Edition. Crown 8vo, 1s.
- JERNINGHAM.** Reminiscences of an Attaché. By HUBERT E. H. JERNINGHAM. Second Edition. Crown 8vo, 5s.
- Diane de Breteuille. A Love Story. Crown 8vo, 2s. 6d.
- JOHNSTON.** The Chemistry of Common Life. By Professor J. F. W. JOHNSTON. New Edition, Revised, and brought down to date. By ARTHUR HERBERT CHURCH, M.A. Oxon.; Author of 'Food: its Sources, Constituents, and Uses,' &c. With Maps and 102 Engravings. Cr. 8vo, 7s. 6d.
- Elements of Agricultural Chemistry and Geology. Revised, and brought down to date. By Sir CHARLES A. CAMERON, M.D., F.R.C.S.I., &c. Sixteenth Edition. Fcap. 8vo, 6s. 6d.
- Catechism of Agricultural Chemistry and Geology. Revised by Sir C. A. CAMERON. With numerous Illustrations.
[New Edition in preparation.]
- JOHNSTON.** Patrick Hamilton: a Tragedy of the Reformation in Scotland, 1528. By T. P. JOHNSTON. Crown 8vo, with Two Etchings. 5s.
- KEBBEL.** The Old and the New: English Country Life. The Country Clergy—The Country Gentlemen—The Farmers—The Peasantry—The Eighteenth Century. By T. E. KEBBEL, M.A., Author of 'Agricultural Labourers,' 'Essays in History and Politics,' 'Life of Lord Beaconsfield.' Crown 8vo, 5s.
- KING.** The Metamorphoses of Ovid. Translated in English Blank Verse. By HENRY KING, M.A., Fellow of Wadham College, Oxford, and of the Inner Temple, Barrister-at-Law. Crown 8vo, 10s. 6d.
- KINGLAKE.** History of the Invasion of the Crimea. By A. W. KINGLAKE. Cabinet Edition, revised. With an Index to the Complete Work. Illustrated with Maps and Plans. Complete in 9 Vols., crown 8vo, at 6s. each.

- KINGLAKE.** History of the Invasion of the Crimea. Demy 8vo. Vol. VI. Winter Troubles. With a Map, 16s. Vols. VII. and VIII. From the Morrow of Inkerman to the Death of Lord Raglan. With an Index to the Whole Work. With Maps and Plans. 28s.
- Eothen. A New Edition, uniform with the Cabinet Edition of the 'History of the Invasion of the Crimea,' price 6s.
- KNEIPP.** My Water-Cure. As Tested through more than Thirty Years, and Described for the Healing of Diseases and the Preservation of Health. By SEBASTIAN KNEIPP, Parish Priest of Wörishofen (Bavaria). With a Portrait and other Illustrations. Only Authorised English Translation. Translated from the Thirtieth German Edition by A. de F. Crown 8vo, 5s.
- KNOLLYS.** The Elements of Field-Artillery. Designed for the Use of Infantry and Cavalry Officers. By HENRY KNOLLYS, Captain Royal Artillery; Author of 'From Sedan to Saarbrück,' Editor of 'Incidents in the Sepoy War,' &c. With Engravings. Crown 8vo, 7s. 6d.
- LAMINGTON.** In the Days of the Dandies. By the late Lord LAMINGTON. Crown 8vo. Illustrated cover, 1s.; cloth, 1s. 6d.
- LAWLESS.** Hurrish: a Study. By the Hon. EMILY LAWLESS, Author of 'A Chelsea Householder,' &c. Fourth Edition, crown 8vo, 3s. 6d.
- LAWSON.** Spain of To-day: A Descriptive, Industrial, and Financial Survey of the Peninsula, with a full account of the Rio Tinto Mines. By W. R. LAWSON. Crown 8vo, 3s. 6d.
- LEES.** A Handbook of the Sheriff and Justice of Peace Small Debt Courts. 8vo, 7s. 6d.
- LIGHTFOOT.** Studies in Philosophy. By the Rev. J. LIGHTFOOT, M.A., D.Sc., Vicar of Cross Stone, Todmorden. Crown 8vo, 4s. 6d.
- LLOYD.** Ireland under the Land League. A Narrative of Personal Experiences. By CLIFFORD LLOYD, Special Resident Magistrate. Post 8vo, 6s.
- LOCKHART.** Novels by LAURENCE W. M. LOCKHART. See Blackwoods' New Series of Three-and-Sixpenny Novels on page 5.
- LORIMER.** The Institutes of Law: A Treatise of the Principles of Jurisprudence as determined by Nature. By the late JAMES LORIMER, Professor of Public Law and of the Law of Nature and Nations in the University of Edinburgh. New Edition, revised and much enlarged. 8vo, 18s.
- The Institutes of the Law of Nations. A Treatise of the Jural Relation of Separate Political Communities. In 2 vols. 8vo. Volume I., price 16s. Volume II., price 20s.
- LOVE.** Scottish Church Music. Its Composers and Sources. With Musical Illustrations. By JAMES LOVE. In 1 vol. post 8vo, 7s. 6d.
- M'COMBIE.** Cattle and Cattle-Breeders. By WILLIAM M'COMBIE, Tillyfour. New Edition, enlarged, with Memoir of the Author. By JAMES MACDONALD, of the 'Farming World.' Crown 8vo, 3s. 6d.
- MACRAE.** A Handbook of Deer-Stalking. By ALEXANDER MACRAE, late Forester to Lord Henry Bentinck. With Introduction by HORATIO ROSS, Esq. Fcap. 8vo, with two Photographs from Life. 3s. 6d.
- M'CRIE.** Works of the Rev. Thomas M'Crie, D.D. Uniform Edition. Four vols. crown 8vo, 24s.
- Life of John Knox. Containing Illustrations of the History of the Reformation in Scotland. Crown 8vo, 6s. Another Edition, 3s. 6d.
- Life of Andrew Melville. Containing Illustrations of the Ecclesiastical and Literary History of Scotland in the Sixteenth and Seventeenth Centuries. Crown 8vo, 6s.
- History of the Progress and Suppression of the Reformation in Italy in the Sixteenth Century. Crown 8vo, 4s.
- History of the Progress and Suppression of the Reformation in Spain in the Sixteenth Century. Crown 8vo, 3s. 6d.
- Lectures on the Book of Esther. Fcap. 8vo, 5s.
- MACDONALD.** A Manual of the Criminal Law (Scotland) Procedure Act, 1887. By NORMAN DORAN MACDONALD. Revised by the LORD JUSTICE-CLERK. 8vo, cloth, 10s. 6d.

- MACGREGOR.** Life and Opinions of Major-General Sir Charles MacGregor, K.C.B., C.S.I., C.I.E., Quartermaster-General of India. From his Letters and Diaries. Edited by LADY MACGREGOR. With Portraits and Maps to illustrate Campaigns in which he was engaged. 2 vols. 8vo, 35s.
- M'INTOSH.** The Book of the Garden. By CHARLES M'INTOSH, formerly Curator of the Royal Gardens of his Majesty the King of the Belgians, and lately of those of his Grace the Duke of Buccleuch, K.G., at Dalkeith Palace. 2 vols. royal 8vo, with 1350 Engravings. £4, 7s. 6d. Vol. I. On the Formation of Gardens and Construction of Garden Edifices. £2, 10s. Vol. II. Practical Gardening. £1, 17s. 6d.
- MACINTYRE.** Hindu-Koh: Wanderings and Wild Sports on and beyond the Himalayas. By Major-General DONALD MACINTYRE, V.C., late Prince of Wales' Own Goorkhas, F.R.G.S. Dedicated to H.R.H. The Prince of Wales. New and Cheaper Edition, revised, with numerous Illustrations, post 8vo, 7s. 6d.
- MACKAY.** A Sketch of the History of Fife and Kinross. A Study of Scottish History and Character. By Æ. J. G. MACKAY, Sheriff of these Counties. Crown 8vo, 6s.
- MACKAY.** A Manual of Modern Geography; Mathematical, Physical, and Political. By the Rev. ALEXANDER MACKAY, LL.D., F.R.G.S. 11th Thousand, revised to the present time. Crown 8vo, pp. 688. 7s. 6d.
- Elements of Modern Geography. 55th Thousand, revised to the present time. Crown 8vo, pp. 300, 3s.
- The Intermediate Geography. Intended as an Intermediate Book between the Author's 'Outlines of Geography' and 'Elements of Geography.' Sixteenth Edition, revised. Crown 8vo, pp. 238, 2s.
- Outlines of Modern Geography. 188th Thousand, revised to the present time. 18mo, pp. 118, 1s.
- First Steps in Geography. 105th Thousand. 18mo, pp. 56. Sewed, 4d.; cloth, 6d.
- Elements of Physiography and Physical Geography. With Express Reference to the Instructions issued by the Science and Art Department. 30th Thousand, revised. Crown 8vo, 1s. 6d.
- Facts and Dates; or, the Leading Events in Sacred and Profane History, and the Principal Facts in the various Physical Sciences. For Schools and Private Reference. New Edition. Crown 8vo, 3s. 6d.
- MACKAY.** An Old Scots Brigade. Being the History of Mackay's Regiment, now incorporated with the Royal Scots. With an Appendix containing many Original Documents connected with the History of the Regiment. By JOHN MACKAY (late) OF HERRIESDALE. Crown 8vo, 5s.
- MACKENZIE.** Studies in Roman Law. With Comparative Views of the Laws of France, England, and Scotland. By LORD MACKENZIE, one of the Judges of the Court of Session in Scotland. Sixth Edition, Edited by JOHN KIRKPATRICK, Esq., M.A., LL.B., Advocate, Professor of History in the University of Edinburgh. 8vo, 12s.
- M'KERLIE.** Galloway: Ancient and Modern. An Account of the Historic Celtic District. By P. H. M'KERLIE, F.S.A. Scot., F.R.G.S., &c. Author of 'Lands and their Owners in Galloway.' Crown 8vo, 7s. 6d.
- M'PHERSON.** Summer Sundays in a Strathmore Parish. By J. GORDON M'PHERSON, Ph.D., F.R.S.E., Minister of Ruthven. Crown 8vo, 5s.
- Golf and Golfers. Past and Present. With an Introduction by the Right Hon. A. J. BALFOUR, and a Portrait of the Author. Fcap. 8vo, 1s. 6d.
- MAIN.** Three Hundred English Sonnets. Chosen and Edited by DAVID M. MAIN. Fcap. 8vo, 6s.
- MAIR.** A Digest of Laws and Decisions, Ecclesiastical and Civil, relating to the Constitution, Practice, and Affairs of the Church of Scotland. With Notes and Forms of Procedure. By the Rev. WILLIAM MAIR, D.D., Minister of the Parish of Earlston. Crown 8vo. With Supplements, 8s.
- MARMORNE.** The Story is told by ADOLPHUS SEGRAVE, the youngest of three Brothers. Third Edition. Crown 8vo, 6s.
- MARSHALL.** French Home Life. By FREDERIC MARSHALL, Author of 'Claire Brandon.' Second Edition. 5s.

- MARSHALL.** It Happened Yesterday. A Novel. Crown 8vo, 6s.
- MARSHMAN.** History of India. From the Earliest Period to the Close of the India Company's Government; with an Epitome of Subsequent Events. By JOHN CLARK MARSHMAN, C.S.I. Abridged from the Author's larger work. Second Edition, revised. Crown 8vo, with Map, 6s. 6d.
- MARTIN.** Goethe's Faust. Part I. Translated by Sir THEODORE MARTIN, K.C.B. Second Ed., crown 8vo, 6s. Ninth Ed., fcap. 8vo, 3s. 6d.
- Goethe's Faust. Part II. Translated into English Verse. Second Edition, revised. Fcap. 8vo, 6s.
- The Works of Horace. Translated into English Verse, with Life and Notes. 2 vols. New Edition, crown 8vo, 21s.
- Poems and Ballads of Heinrich Heine. Done into English Verse. Second Edition. Printed on *papier vergé*, crown 8vo, 8s.
- The Song of the Bell, and other Translations from Schiller, Goethe, Uhland, and Others. Crown 8vo, 7s. 6d.
- Catullus. With Life and Notes. Second Ed., post 8vo, 7s. 6d.
- Aladdin: A Dramatic Poem. By ADAM OEHLENSCHLAEGER. Fcap. 8vo, 5s.
- Correggio: A Tragedy. By OEHLENSCHLAEGER. With Notes. Fcap. 8vo, 3s.
- King Rene's Daughter: A Danish Lyrical Drama. By HENRIK HERTZ. Second Edition, fcap., 2s. 6d.
- MARTIN.** On some of Shakespeare's Female Characters. In a Series of Letters. By HELENA FAUCIT, LADY MARTIN. Dedicated by permission to Her Most Gracious Majesty the Queen. New Edition, enlarged. 8vo, with Portrait by Lane, 7s. 6d.
- MATHESON.** Can the Old Faith Live with the New? or the Problem of Evolution and Revelation. By the Rev. GEORGE MATHESON, D.D. Third Edition. Crown 8vo, 7s. 6d.
- The Psalmist and the Scientist; or, Modern Value of the Religious Sentiment. New and Cheaper Edition. Crown 8vo, 5s.
- Spiritual Development of St Paul. 3d Edition. Cr. 8vo, 5s.
- Sacred Songs. New and Cheaper Edition. Cr. 8vo, 2s. 6d.
- MAURICE.** The Balance of Military Power in Europe. An Examination of the War Resources of Great Britain and the Continental States. By Colonel MAURICE, R.A., Professor of Military Art and History at the Royal Staff College. Crown 8vo, with a Map. 6s.
- MAXWELL.** Noontide Essays. By Sir HERBERT E. MAXWELL, Bart., M.P., F.S.A., &c., Author of 'Studies in the Topography of Galloway,' &c. Post 8vo. [Immediately.]
- MEREDYTH.** The Brief for the Government, 1886-92. A Handbook for Conservative and Unionist Writers, Speakers, &c. Second Edition. By W. H. MEREDYTH. Crown 8vo, 2s. 6d.
- MICHEL.** A Critical Inquiry into the Scottish Language. With the view of Illustrating the Rise and Progress of Civilisation in Scotland. By FRANCISQUE-MICHEL, F.S.A. Lond. and Scot., Correspondant de l'Institut de France, &c. 4to, printed on hand-made paper, and bound in Roxburghe, 66s.
- MICHIE.** The Larch: Being a Practical Treatise on its Culture and General Management. By CHRISTOPHER Y. MICHIE, Forester, Cullen House. Crown 8vo, with Illustrations. New and Cheaper Edition, enlarged, 5s.
- The Practice of Forestry. Cr. 8vo, with Illustrations. 6s.
- MIDDLETON.** The Story of Alastair Bhan Comyn; or, The Tragedy of Dunphail. A Tale of Tradition and Romance. By the Lady MIDDLETON. Square 8vo 10s. Cheaper Edition, 5s.
- MILLER.** Landscape Geology. A Plea for the Study of Geology by Landscape Painters. By HUGH MILLER, of H.M. Geological Survey. Cr. 8vo, 3s.
- MILNE-HOME.** Mamma's Black Nurse Stories. West Indian Folk-lore. By MARY PAMELA MILNE-HOME. With six full-page tinted Illustrations. Small 4to, 5s.

- MINTO.** A Manual of English Prose Literature, Biographical and Critical: designed mainly to show Characteristics of Style. By W. MINTO, M.A., Professor of Logic in the University of Aberdeen. Third Edition, revised. Crown 8vo, 7s. 6d.
- Characteristics of English Poets, from Chaucer to Shirley. New Edition, revised. Crown 8vo, 7s. 6d.
- MOIR.** Life of Mansie Wauch, Tailor in Dalkeith. By D. M. MOIR. With 8 Illustrations on Steel, by the late GEORGE CRUIKSHANK. Crown 8vo, 3s. 6d. Another Edition, fcap. 8vo, 1s. 6d.
- MOMERIE.** Defects of Modern Christianity, and other Sermons. By ALFRED WILLIAMS MOMERIE, M.A., D.Sc., LL.D. 4th Edition. Cr. 8vo, 5s.
- The Basis of Religion. Being an Examination of Natural Religion. Third Edition. Crown 8vo, 2s. 6d.
- The Origin of Evil, and other Sermons. Seventh Edition, enlarged. Crown 8vo, 5s.
- Personality. The Beginning and End of Metaphysics, and a Necessary Assumption in all Positive Philosophy. Fourth Ed. Cr. 8vo, 3s.
- Agnosticism. Third Edition, Revised. Crown 8vo, 5s.
- Preaching and Hearing; and other Sermons. Third Edition, Enlarged. Crown 8vo, 5s.
- Belief in God. Third Edition. Crown 8vo, 3s.
- Inspiration; and other Sermons. Second Ed. Cr. 8vo, 5s.
- Church and Creed. Second Edition. Crown 8vo, 4s. 6d.
- MONTAGUE.** Campaigning in South Africa. Reminiscences of an Officer in 1879. By Captain W. E. MONTAGUE, 94th Regiment, Author of 'Claude Meadowleigh,' &c. 8vo, 10s. 6d.
- MONTALEMBERT.** Memoir of Count de Montalembert. A Chapter of Recent French History. By Mrs OLIPHANT, Author of the 'Life of Edward Irving,' &c. 2 vols. crown 8vo, £1, 4s.
- MORISON.** Sordello. An Outline Analysis of Mr Browning's Poem. By JEANIE MORISON, Author of 'The Purpose of the Ages,' 'Ane Booke of Ballades,' &c. Crown 8vo, 3s.
- Selections from Poems. Crown 8vo, 4s. 6d.
- There as Here. Crown 8vo, 3s.
- ** A limited impression on handmade paper, bound in vellum. 7s. 6d.
- "Of Fife at the Fair," "Christmas Eve and Easter Day," and other of Mr Browning's Poems. Crown 8vo, 3s.
- MOZLEY.** Essays from 'Blackwood.' By the late ANNE MOZLEY, Author of 'Essays on Social Subjects'; Editor of 'The Letters and Correspondence of Cardinal Newman,' 'Letters of the Rev. J. B. Mozley,' &c. With a Memoir by her Sister, FANNY MOZLEY. Post 8vo, 7s. 6d.
- MUNRO.** On Valuation of Property. By WILLIAM MUNRO, M.A., Her Majesty's Assessor of Railways and Canals for Scotland. Second Edition. Revised and enlarged. 8vo, 3s. 6d.
- MURDOCH.** Manual of the Law of Insolvency and Bankruptcy: Comprehending a Summary of the Law of Insolvency, Notour Bankruptcy, Composition - contracts, Trust-deeds, Cessios, and Sequestrations; and the Winding-up of Joint-Stock Companies in Scotland; with Annotations on the various Insolvency and Bankruptcy Statutes; and with Forms of Procedure applicable to these Subjects. By JAMES MURDOCH, Member of the Faculty of Procurators in Glasgow. Fifth Edition, Revised and Enlarged, 8vo, £1, 10s.
- MY TRIVIAL LIFE AND MISFORTUNE: A Gossip with no Plot in Particular.** By A PLAIN WOMAN. Cheap Ed., crown 8vo, 3s. 6d. By the SAME AUTHOR.
- POOR NELLIE.** New Edition. Crown 8vo, 6s.
- NAPIER.** The Construction of the Wonderful Canon of Logarithms. By JOHN NAPIER of Merchiston. Translated, with Notes, and a Catalogue of Napier's Works, by WILLIAM RAE MACDONALD. Small 4to, 15s. A few large-paper copies on Whatman paper, 30s.

- NEAVES. Songs and Verses, Social and Scientific. By an Old Contributor to 'Maga.' By the Hon. Lord NEAVES. Fifth Ed., fcap. 8vo, 4s.
- The Greek Anthology. Being Vol. XX. of 'Ancient Classics for English Readers.' Crown 8vo, 2s. 6d.
- NICHOLSON. A Manual of Zoology, for the Use of Students. With a General Introduction on the Principles of Zoology. By HENRY ALLEYNE NICHOLSON, M.D., D.Sc., F.L.S., F.G.S., Regius Professor of Natural History in the University of Aberdeen. Seventh Edition, rewritten and enlarged. Post 8vo, pp. 956, with 555 Engravings on Wood, 18s.
- Text-Book of Zoology, for the Use of Schools. Fourth Edition, enlarged. Crown 8vo, with 188 Engravings on Wood, 7s. 6d.
- Introductory Text-Book of Zoology, for the Use of Junior Classes. Sixth Edition, revised and enlarged, with 166 Engravings, 3s.
- Outlines of Natural History, for Beginners; being Descriptions of a Progressive Series of Zoological Types. Third Edition, with Engravings, 1s. 6d.
- A Manual of Palæontology, for the Use of Students. With a General Introduction on the Principles of Palæontology. By Professor H. ALLEYNE NICHOLSON and RICHARD LYDEKKER, B.A. Third Edition. Rewritten and greatly enlarged. 2 vols. 8vo, with Engravings, £3. 3s.
- The Ancient Life-History of the Earth. An Outline of the Principles and Leading Facts of Palæontological Science. Crown 8vo, with 276 Engravings, 10s. 6d.
- On the "Tabulate Corals" of the Palæozoic Period, with Critical Descriptions of Illustrative Species. Illustrated with 15 Lithograph Plates and numerous Engravings. Super-royal 8vo, 21s.
- Synopsis of the Classification of the Animal Kingdom. 8vo, with 106 Illustrations, 6s.
- On the Structure and Affinities of the Genus Monticulipora and its Sub-Genera, with Critical Descriptions of Illustrative Species. Illustrated with numerous Engravings on wood and lithographed Plates. Super-royal 8vo, 18s.
- NICHOLSON. Communion with Heaven, and other Sermons. By the late MAXWELL NICHOLSON, D.D., Minister of St Stephen's, Edinburgh. Crown 8vo, 5s. 6d.
- Rest in Jesus. Sixth Edition. Fcap. 8vo, 4s. 6d.
- NICHOLSON. A Treatise on Money, and Essays on Present Monetary Problems. By JOSEPH SHIELD NICHOLSON, M.A., D.Sc., Professor of Commercial and Political Economy and Mercantile Law in the University of Edinburgh. 8vo, 10s. 6d.
- Thoth. A Romance. Third Edition. Crown 8vo, 4s. 6d.
- A Dreamer of Dreams. A Modern Romance. Second Edition. Crown 8vo, 6s.
- NICOLSON AND MURE. A Handbook to the Local Government (Scotland) Act, 1889. With Introduction, Explanatory Notes, and Index. By J. BADENACH NICOLSON, Advocate, Counsel to the Scotch Education Department, and W. J. MURE, Advocate, Legal Secretary to the Lord Advocate for Scotland. Ninth Reprint. 8vo, 5s.
- OLIPHANT. Masollam: a Problem of the Period. A Novel. By LAURENCE OLIPHANT. 3 vols. post 8vo, 25s. 6d.
- Scientific Religion; or, Higher Possibilities of Life and Practice through the Operation of Natural Forces. Second Edition. 8vo, 16s.
- Altiora Peto. By LAURENCE OLIPHANT. Cheap Edition. Crown 8vo, boards, 2s. 6d.; cloth, 3s. 6d. Illustrated Edition. Crown 8vo, cloth, 6s.
- Piccadilly. With Illustrations by Richard Doyle. New Edition, 3s. 6d. Cheap Edition, boards, 2s. 6d.
- Traits and Travesties; Social and Political. Post 8vo, 10s. 6d.
- Haifa: Life in Modern Palestine. 2d Edition. 8vo, 7s. 6d.
- Episodes in a Life of Adventure; or, Moss from a Rolling Stone. Fifth Edition. Post 8vo, 6s.

- OLIPHANT.** The Land of Gilead. With Excursions in the Lebanon. With Illustrations and Maps. Demy 8vo, 21s.
- Memoir of the Life of Laurence Oliphant, and of Alice Oliphant, his Wife. By Mrs M. O. W. OLIPHANT. Seventh Edition. In 2 vols. post 8vo, with Portraits. 21s.
- POPULAR EDITION. With a New Preface. Post 8vo. With Portraits, 7s. 6d.
- OLIPHANT.** Katie Stewart. By Mrs OLIPHANT. 2s. 6d.
- Two Stories of the Seen and the Unseen. The Open Door — Old Lady Mary. Paper Covers, 1s.
- Sons and Daughters. Crown 8vo, 3s. 6d.
- OLIPHANT.** Notes of a Pilgrimage to Jerusalem and the Holy Land. By F. R. OLIPHANT. Crown 8vo, 3s. 6d.
- ON SURREY HILLS.** By "A SON OF THE MARSHES." Second Edition. Crown 8vo, 6s.
- BY THE SAME AUTHOR.
- Annals of a Fishing Village. Edited by J. A. OWEN. Cheap Edition. Crown 8vo, 6s. With 7 full-page Illustrations, 7s. 6d.
- Within an Hour of London Town. Among Wild Birds and their Haunts. Crown 8vo, 6s.
- OSSIAN.** The Poems of Ossian in the Original Gaelic. With a Literal Translation into English, and a Dissertation on the Authenticity of the Poems. By the Rev. ARCHIBALD CLERK. 2 vols. imperial 8vo, £1, 11s. 6d.
- OSWALD.** By Fell and Fjord; or, Scenes and Studies in Iceland. By E. J. OSWALD. Post 8vo, with Illustrations. 7s. 6d.
- PAGE.** Introductory Text-Book of Geology. By DAVID PAGE, LL.D., Professor of Geology in the Durham University of Physical Science Newcastle, and Professor LAPWORTH of Mason Science College, Birmingham. With Engravings and Glossarial Index. Twelfth Edition. Revised and Enlarged. 3s. 6d.
- Advanced Text-Book of Geology, Descriptive and Industrial. With Engravings, and Glossary of Scientific Terms. Sixth Edition, revised and enlarged, 7s. 6d.
- Introductory Text-Book of Physical Geography. With Sketch-Maps and Illustrations. Edited by Professor LAPWORTH, LL.D., F.G.S., &c., Mason Science College, Birmingham. 12th Edition. 2s. 6d.
- Advanced Text-Book of Physical Geography. Third Edition, Revised and Enlarged by Prof. LAPWORTH. With Engravings. 5s.
- PATON.** Spindrift. By Sir J. NOEL PATON. Fcap., cloth, 5s.
- Poems by a Painter. Fcap., cloth, 5s.
- PATON.** Body and Soul. A Romance in Transcendental Pathology. By FREDERICK NOEL PATON. Third Edition. Crown 8vo, 1s.
- PATRICK.** The Apology of Origen in Reply to Celsus. A Chapter in the History of Apologetics. By Rev. J. PATRICK, B.D. In 1 vol. crown 8vo. *[In the press.]*
- PATTERSON.** Essays in History and Art. By R. HOGARTH PATTERSON. 8vo, 12s.
- The New Golden Age, and Influence of the Precious Metals upon the World. 2 vols. 8vo, 31s. 6d.
- PAUL.** History of the Royal Company of Archers, the Queen's Body-Guard for Scotland. By JAMES BALFOUR PAUL, Advocate of the Scottish Bar. Crown 4to, with Portraits and other Illustrations. £2, 2s.
- PEILE.** Lawn Tennis as a Game of Skill. With latest revised Laws as played by the Best Clubs. By Captain S. C. F. PEILE, B.S.C. Cheaper Edition, fcap. cloth, 1s.
- PETTIGREW.** The Handy Book of Bees, and their Profitable Management. By A. PETTIGREW. Fifth Edition, Enlarged, with Engravings. Crown 8vo, 3s. 6d.
- PHILIP.** The Function of Labour in the Production of Wealth. By ALEXANDER PHILIP, LL.B., Edinburgh. Crown 8vo, 3s. 6d.

PHILOSOPHICAL CLASSICS FOR ENGLISH READERS.

Edited by WILLIAM KNIGHT, LL.D., Professor of Moral Philosophy, University of St Andrews. In crown 8vo volumes, with portraits, price 3s. 6d.

[For list of Volumes published, see page 2.]

- POLLOK.** The Course of Time : A Poem. By ROBERT POLLOK, A.M. Small fcap. 8vo, cloth gilt, 2s. 6d. Cottage Edition, 32mo, 8d. The Same, cloth, gilt edges, 1s. 6d. Another Edition, with Illustrations by Birket Foster and others, fcap., cloth, 3s. 6d., or with edges gilt, 4s.
- PORT ROYAL LOGIC.** Translated from the French ; with Introduction, Notes, and Appendix. By THOMAS SPENCER BAYNES, LL.D., Professor in the University of St Andrews. Tenth Edition, 12mo, 4s.
- POTTS AND DARNELL.** Aditus Faciliores : An easy Latin Construing Book, with Complete Vocabulary. By the late A. W. POTTS, M.A., LL.D., and the Rev. C. DARNELL, M.A., Head-Master of Cargilfield Preparatory School, Edinburgh. Tenth Edition, fcap. 8vo, 3s. 6d.
- Aditus Faciliores Graeci. An easy Greek Construing Book, with Complete Vocabulary. Fourth Edition, fcap. 8vo, 3s.
- POTTS.** School Sermons. By the late ALEXANDER WM. POTTS, LL.D., First Head-Master of Fettes College. With a Memoir and Portrait. Crown 8vo, 7s. 6d.
- PRINGLE.** The Live-Stock of the Farm. By ROBERT O. PRINGLE. Third Edition. Revised and Edited by JAMES MACDONALD. Cr. 8vo, 7s. 6d.
- PUBLIC GENERAL STATUTES AFFECTING SCOTLAND** from 1707 to 1847, with Chronological Table and Index. 3 vols. large 8vo, £3, 3s.
- PUBLIC GENERAL STATUTES AFFECTING SCOTLAND,** COLLECTION OF. Published Annually with General Index.
- RADICAL CURE FOR IRELAND, The.** A Letter to the People of England and Scotland concerning a new Plantation. With 2 Maps. 8vo, 7s. 6d.
- RAE.** The Syrian Church in India. By GEORGE MILNE RAE, M.A., Fellow of the University of Madras ; late Professor in the Madras Christian College. With 6 full-page Illustrations. Post 8vo, 10s. 6d.
- RAMSAY.** Scotland and Scotsmen in the Eighteenth Century. Edited from the MSS. of JOHN RAMSAY, Esq. of Ochertyre, by ALEXANDER ALLARDYCE, Author of 'Memoir of Admiral Lord Keith, K.B.' &c. 2 vols. 8vo, 31s. 6d.
- RANKIN.** A Handbook of the Church of Scotland. By JAMES RANKIN, D.D., Minister of Muthill ; Author of 'Character Studies in the Old Testament,' &c. An entirely New and much Enlarged Edition. Crown 8vo, with 2 Maps, 7s. 6d.
- The Creed in Scotland. An Exposition of the Apostles' Creed. With Extracts from Archbishop Hamilton's Catechism of 1552, John Calvin's Catechism of 1556, and a Catena of Ancient Latin and other Hymns. Post 8vo, 7s. 6d.
- First Communion Lessons. 23d Edition. Paper Cover, 2d.
- RECORDS OF THE TERCENTENARY FESTIVAL OF THE UNIVERSITY OF EDINBURGH.** Celebrated in April 1884. Published under the Sanction of the Senatus Academicus. Large 4to, £2, 12s. 6d.
- ROBERTSON.** The Early Religion of Israel. As set forth by Biblical Writers and Modern Critical Historians. Being the Baird Lecture for 1888-89. By JAMES ROBERTSON, D.D., Professor of Oriental Languages in the University of Glasgow. Crown 8vo, 10s. 6d.
- ROBERTSON.** Orellana, and other Poems. By J. LOGIE ROBERTSON, M.A. Fcap. 8vo. Printed on hand-made paper. 6s.
- ROBERTSON.** Our Holiday Among the Hills. By JAMES and JANET LOGIE ROBERTSON. Fcap. 8vo, 3s. 6d.
- ROSCOE.** Rambles with a Fishing-rod. By E. S. ROSCOE. Crown 8vo, 4s. 6d.
- ROSS.** Old Scottish Regimental Colours. By ANDREW ROSS, S.S.C., Hon. Secretary Old Scottish Regimental Colours Committee. Dedicated by Special Permission to Her Majesty the Queen. Folio. £2, 12s. 6d.
- RUSSELL.** The Haigs of Bemersyde. A Family History. By JOHN RUSSELL. Large 8vo, with Illustrations. 21s.

- RUSSELL.** Fragments from Many Tables. Being the Recollections of some Wise and Witty Men and Women. By GEO. RUSSELL. Cr. 8vo, 4s. 6d.
- RUTLAND.** Notes of an Irish Tour in 1846. By the DUKE OF RUTLAND, G. C. B. (LORD JOHN MANNERS). New Edition. Crown 8vo, 2s. 6d.
- Correspondence between the Right Honble. William Pitt and Charles Duke of Rutland, Lord Lieutenant of Ireland, 1781-1787. With Introductory Note by John Duke of Rutland. 8vo, 7s. 6d.
- RUTLAND.** Gems of German Poetry. Translated by the DUCHESS OF RUTLAND (Lady JOHN MANNERS). *[New Edition in preparation.]*
- Impressions of Bad-Homburg. Comprising a Short Account of the Women's Associations of Germany under the Red Cross. Crown 8vo, 1s. 6d.
- Some Personal Recollections of the Later Years of the Earl of Beaconsfield, K.G. Sixth Edition, 6d.
- Employment of Women in the Public Service. 6d.
- Some of the Advantages of Easily Accessible Reading and Recreation Rooms, and Free Libraries. With Remarks on Starting and Maintaining Them. Second Edition, crown 8vo, 1s.
- A Sequel to Rich Men's Dwellings, and other Occasional Papers. Crown 8vo, 2s. 6d.
- Encouraging Experiences of Reading and Recreation Rooms, Aims of Guilds, Nottingham Social Guild, Existing Institutions, &c., &c. Crown 8vo, 1s.
- SCHILLER.** Wallenstein. A Dramatic Poem. By FREDERICK VON SCHILLER. Translated by C. G. A. LOCKHART. Fcap. 8vo, 7s. 6d.
- SCOTCH LOCH FISHING.** By "Black Palmer." Crown 8vo, interleaved with blank pages, 4s.
- SCOUGAL.** Prisons and their Inmates; or, Scenes from a Silent World. By FRANCIS SCOUGAL. Crown 8vo, boards, 2s.
- SELLAR.** Manual of the Education Acts for Scotland. By the late ALEXANDER CRAIG SELLAR, M.P. Eighth Edition. Revised and in great part rewritten by J. EDWARD GRAHAM, B.A. Oxon., Advocate. With Rules for the conduct of Elections, with Notes and Cases. With a Supplement, being the Acts of 1889 in so far as affecting the Education Acts. 8vo, 12s. 6d.
- [SUPPLEMENT TO SELLAR'S MANUAL OF THE EDUCATION ACTS. 8vo, 2s.]
- SETH.** Scottish Philosophy. A Comparison of the Scottish and German Answers to Hume. Balfour Philosophical Lectures, University of Edinburgh. By ANDREW SETH, M.A., Professor of Logic and Metaphysics in Edinburgh University. Second Edition. Crown 8vo, 5s.
- Hegelianism and Personality. Balfour Philosophical Lectures. Second Series. Crown 8vo, 5s.
- SETH.** Freedom as Ethical Postulate. By JAMES SETH, M.A., George Munro Professor of Philosophy, Dalhousie College, Halifax, Canada. 8vo, 1s.
- SHADWELL.** The Life of Colin Campbell, Lord Clyde. Illustrated by Extracts from his Diary and Correspondence. By Lieutenant-General SHADWELL, C.B. 2 vols. 8vo. With Portrait, Maps, and Plans. 36s.
- SHAND.** Half a Century; or, Changes in Men and Manners. By ALEX. INNES SHAND, Author of 'Against Time,' &c. Second Edition, 8vo, 12s. 6d.
- Letters from the West of Ireland. Reprinted from the 'Times.' Crown 8vo, 5s.
- Kilcarra. A Novel. 3 vols. crown 8vo, 25s. 6d.
- SHARPE.** Letters from and to Charles Kirkpatrick Sharpe. Edited by ALEXANDER ALLARDYCE, Author of 'Memoir of Admiral Lord Keith, K.B.,' &c. With a Memoir by the Rev. W. K. R. BEDFORD. In two vols. 8vo. Illustrated with Etchings and other Engravings. £2, 12s. 6d.
- SIM.** Margaret Sim's Cookery. With an Introduction by L. B. WALFORD Author of 'Mr Smith: A Part of His Life,' &c. Crown 8vo, 5s.

- SKELTON.** Maitland of Lethington; and the Scotland of Mary Stuart. A History. By JOHN SKELTON, C.B., LL.D., Author of 'The Essays of Shirley.' Demy 8vo. 2 vols., 28s.
- The Handbook of Public Health. A Complete Edition of the Public Health and other Sanitary Acts relating to Scotland. Annotated, and with the Rules, Instructions, and Decisions of the Board of Supervision brought up to date with relative forms. 8vo, with Supplement, 8s. 6d.
- Supplement to Skelton's Handbook. The Administration of the Public Health Act in Counties. 8vo, cloth, 1s. 6d.
- The Local Government (Scotland) Act in Relation to Public Health. A Handy Guide for County and District Councillors, Medical Officers, Sanitary Inspectors, and Members of Parochial Boards. Second Edition. With a new Preface on appointment of Sanitary Officers. Crown 8vo, 2s.
- SMITH.** For God and Humanity. A Romance of Mount Carmel. By HASKETT SMITH, Author of 'The Divine Epiphany,' &c. 3 vols. post 8vo, 25s. 6d.
- SMITH.** Thorndale; or, The Conflict of Opinions. By WILLIAM SMITH, Author of 'A Discourse on Ethics,' &c. New Edition. Cr. 8vo, 10s. 6d.
- Gravenhurst; or, Thoughts on Good and Evil. Second Edition, with Memoir of the Author. Crown 8vo, 8s.
- The Story of William and Lucy Smith. Edited by GEORGE MERRIAM. Large post 8vo, 12s. 6d.
- SMITH.** Memoir of the Families of M'Combie and Thoms, originally M'Intosh and M'Thomas. Compiled from History and Tradition. By WILLIAM M'COMBIE SMITH. With Illustrations. 8vo, 7s. 6d.
- SMITH.** Greek Testament Lessons for Colleges, Schools, and Private Students, consisting chiefly of the Sermon on the Mount and the Parables of our Lord. With Notes and Essays. By the Rev. J. HUNTER SMITH, M.A., King Edward's School, Birmingham. Crown 8vo, 6s.
- SMITH.** Writings by the Way. By JOHN CAMPBELL SMITH, M.A., Sheriff-Substitute. Crown 8vo, 9s.
- SMITH.** The Secretary for Scotland. Being a Statement of the Powers and Duties of the new Scottish Office. With a Short Historical Introduction and numerous references to important Administrative Documents. By W. C. SMITH, LL.B., Advocate. 8vo, 6s.
- SORLEY.** The Ethics of Naturalism. Being the Shaw Fellowship Lectures, 1884. By W. R. SORLEY, M.A., Fellow of Trinity College, Cambridge, Professor of Logic and Philosophy in University College of South Wales. Crown 8vo, 6s.
- SPEEDY.** Sport in the Highlands and Lowlands of Scotland with Rod and Gun. By TOM SPEEDY. Second Edition, Revised and Enlarged. With Illustrations by Lieut.-Gen. Hope Crealocke, C.B., C.M.G., and others. 8vo, 15s.
- SPROTT.** The Worship and Offices of the Church of Scotland. By GEORGE W. SPROTT, D.D., Minister of North Berwick. Crown 8vo, 6s.
- STAFFORD.** How I Spent my Twentieth Year. Being a Record of a Tour Round the World, 1886-87. By the MARCHIONESS OF STAFFORD. With Illustrations. Third Edition, crown 8vo, 8s. 6d.
- STARFORTH.** Villa Residences and Farm Architecture: A Series of Designs. By JOHN STARFORTH, Architect. 102 Engravings. Second Edition, medium 4to, £2, 17s. 6d.
- STATISTICAL ACCOUNT OF SCOTLAND.** Complete, with Index, 15 vols. 8vo, £16, 16s.
Each County sold separately, with Title, Index, and Map, neatly bound in cloth.
- STEPHENS' BOOK OF THE FARM.** Illustrated with numerous Portraits of Animals and Engravings of Implements, and Plans of Farm Buildings. Fourth Edition. Revised, and in great part rewritten by JAMES MACDONALD, of the 'Farming World,' &c. Complete in Six Divisional Volumes, bound in cloth, each 10s. 6d., or handsomely bound, in 3 volumes, with leather back and gilt top, £3, 3s.
- The Book of Farm Implements and Machines. By J. SLIGHT and R. SCOTT BURN, Engineers. Edited by HENRY STEPHENS. Large 8vo. £2, 2s.
- STEVENSON.** British Fungi. (Hymenomycetes.) By Rev. JOHN STEVENSON, Author of 'Mycologia Scotia,' Hon. Sec. Cryptogamic Society of Scotland. Vols. I. and II., post 8vo, with Illustrations, price 12s. 6d. each.

- STEWART. Advice to Purchasers of Horses. By JOHN STEWART, V.S. New Edition. 2s. 6d.
- Stable Economy. A Treatise on the Management of Horses in relation to Stabling, Grooming, Feeding, Watering, and Working. Seventh Edition, fcap. 8vo, 6s. 6d.
- STEWART. A Hebrew Grammar, with the Pronunciation, Syllabic Division and Tone of the Words, and Quantity of the Vowels. By Rev. DUNCAN STEWART, D.D. Fourth Edition. 8vo, 3s. 6d.
- STEWART. Boethius: An Essay. By HUGH FRASER STEWART, M.A., Trinity College, Cambridge. Crown 8vo, 7s. 6d.
- STODDART. Angling Songs. By THOMAS TOD STODDART. New Edition, with a Memoir by ANNA M. STODDART. Crown 8vo, 7s. 6d.
- STORMONTH. Etymological and Pronouncing Dictionary of the English Language. Including a very Copious Selection of Scientific Terms. For Use in Schools and Colleges, and as a Book of General Reference. By the Rev. JAMES STORMONTH. The Pronunciation carefully Revised by the Rev. P. H. PHELP, M.A. Cantab. Tenth Edition, Revised throughout. Crown 8vo, pp. 800. 7s. 6d.
- Dictionary of the English Language, Pronouncing, Etymological, and Explanatory. Revised by the Rev. P. H. PHELP. Library Edition. Imperial 8vo, handsomely bound in half morocco, 31s. 6d.
- The School Etymological Dictionary and Word-Book. Fourth Edition. Fcap. 8vo, pp. 254. 2s.
- STORY. Nero; A Historical Play. By W. W. STORY, Author of 'Roba di Roma.' Fcap. 8vo, 6s.
- Vallombrosa. Post 8vo, 5s.
- Poems. 2 vols. fcap., 7s. 6d.
- Fiammetta. A Summer Idyl. Crown 8vo, 7s. 6d.
- Conversations in a Studio. 2 vols. crown 8vo, 12s. 6d.
- Excursions in Art and Letters. Crown 8vo, 7s. 6d.
- STRICKLAND. Life of Agnes Strickland. By her SISTER. Post 8vo, with Portrait engraved on Steel, 12s. 6d.
- STURGIS. John - a - Dreams. A Tale. By JULIAN STURGIS. New Edition, crown 8vo, 3s. 6d.
- Little Comedies, Old and New. Crown 8vo, 7s. 6d.
- SUTHERLAND. Handbook of Hardy Herbaceous and Alpine Flowers, for general Garden Decoration. Containing Descriptions of upwards of 1000 Species of Ornamental Hardy Perennial and Alpine Plants; along with Concise and Plain Instructions for their Propagation and Culture. By WILLIAM SUTHERLAND, Landscape Gardener; formerly Manager of the Herbaceous Department at Kew. Crown 8vo, 7s. 6d.
- TAYLOR. The Story of My Life. By the late Colonel MEADOWS TAYLOR, Author of 'The Confessions of a Thug,' &c. &c. Edited by his Daughter. New and cheaper Edition, being the Fourth. Crown 8vo, 6s.
- TELLET. Pastor and Prelate. A Story of Clerical Life. By ROY TELLET, Author of 'The Outcasts,' &c. 3 vols. crown 8vo, 25s. 6d.
- THOLUCK. Hours of Christian Devotion. Translated from the German of A. Tholuck, D.D., Professor of Theology in the University of Halle. By the Rev. ROBERT MENZIES, D.D. With a Preface written for this Translation by the Author. Second Edition, crown 8vo, 7s. 6d.
- THOMSON. Handy Book of the Flower-Garden: being Practical Directions for the Propagation, Culture, and Arrangement of Plants in Flower-Gardens all the year round. With Engraved Plans. By DAVID THOMSON, Gardener to his Grace the Duke of Buccleuch, K.T., at Drumlanrig. Fourth and Cheaper Edition, crown 8vo, 5s.
- The Handy Book of Fruit-Culture under Glass: being a series of Elaborate Practical Treatises on the Cultivation and Forcing of Pines, Vines, Peaches, Figs, Melons, Strawberries, and Cucumbers. With Engravings of Hothouses, &c. Second Ed. Cr. 8vo, 7s. 6d.

- THOMSON.** A Practical Treatise on the Cultivation of the Grape Vine. By WILLIAM THOMSON, Tweed Vineyards. Tenth Edition, 8vo, 5s.
- THOMSON.** Cookery for the Sick and Convalescent. With Directions for the Preparation of Poultices, Fomentations, &c. By BARBARA THOMSON. Fcap. 8vo, 1s. 6d.
- THORNTON.** Opposites. A Series of Essays on the Unpopular Sides of Popular Questions. By LEWIS THORNTON. 8vo, 12s. 6d.
- TOM CRINGLE'S LOG.** A New Edition, with Illustrations. Crown 8vo, cloth gilt, 5s. Cheap Edition, 2s.
- TRANSACTIONS OF THE HIGHLAND AND AGRICULTURAL SOCIETY OF SCOTLAND.** Published annually, price 5s.
- TULLOCH.** Rational Theology and Christian Philosophy in England in the Seventeenth Century. By JOHN TULLOCH, D.D., Principal of St Mary's College in the University of St Andrews; and one of her Majesty's Chaplains in Ordinary in Scotland. Second Edition. 2 vols. 8vo, 16s.
- Modern Theories in Philosophy and Religion. 8vo, 15s.
- Luther, and other Leaders of the Reformation. Third Edition, enlarged. Crown 8vo, 3s. 6d.
- Memoir of Principal Tulloch, D.D., LL.D. By Mrs OLIPHANT, Author of 'Life of Edward Irving.' Third and Cheaper Edition. 8vo, with Portrait. 7s. 6d.
- TWEEDIE.** The Arabian Horse: his Country and People. With Portraits of Typical or Famous Arabians, and numerous other Illustrations; also a Map of the Country of the Arabian Horse, and a descriptive Glossary of Arabic words and proper names. By Colonel W. TWEEDIE, C.S.I., Bengal Staff Corps, H.B.M.'s Consul-General, Baghdad. *[In the press.]*
- VEITCH.** Institutes of Logic. By JOHN VEITCH, LL.D., Professor of Logic and Rhetoric in the University of Glasgow. Post 8vo, 12s. 6d.
- The Feeling for Nature in Scottish Poetry. From the Earliest Times to the Present Day. 2 vols. fcap. 8vo, in roxburgh binding. 15s.
- Merlin and Other Poems. Fcap. 8vo. 4s. 6d.
- Knowing and Being. Essays in Philosophy. First Series. Crown 8vo, 5s.
- VIRGIL.** The Æneid of Virgil. Translated in English Blank Verse by G. K. RICKARDS, M.A., and Lord RAVENSWORTH. 2 vols. fcap. 8vo, 10s.
- WALFORD.** Four Biographies from 'Blackwood': Jane Taylor, Hannah More, Elizabeth Fry, Mary Somerville. By L. B. WALFORD. Crown 8vo, 5s.
- WARREN'S (SAMUEL) WORKS:—**
- Diary of a Late Physician. Cloth, 2s. 6d.; boards, 2s.
- Ten Thousand A-Year. Cloth, 3s. 6d.; boards, 2s. 6d.
- Now and Then. The Lily and the Bee. Intellectual and Moral Development of the Present Age. 4s. 6d.
- Essays: Critical, Imaginative, and Juridical. 5s.
- WARREN.** The Five Books of the Psalms. With Marginal Notes. By Rev. SAMUEL L. WARREN, Rector of Esher, Surrey; late Fellow, Dean, and Divinity Lecturer, Wadham College, Oxford. Crown 8vo, 5s.
- WEBSTER.** The Angler and the Loop-Rod. By DAVID WEBSTER. Crown 8vo, with Illustrations, 7s. 6d.
- WELLINGTON.** Wellington Prize Essays on "the System of Field Manœuvres best adapted for enabling our Troops to meet a Continental Army." Edited by General Sir EDWARD BRUCE HAMLEY, K.C.B., K.C.M.G. 8vo, 12s. 6d.
- WENLEY.** Socrates and Christ: A Study in the Philosophy of Religion. By R. M. WENLEY, M.A., Lecturer on Mental and Moral Philosophy in Queen Margaret College, Glasgow; Examiner in Philosophy in the University of Glasgow. Crown 8vo, 6s.

- WERNER. A Visit to Stanley's Rear-Guard at Major Barttelot's Camp on the Aruhwimi. With an Account of River-Life on the Congo. By J. R. WERNER, F.R.G.S., Engineer, late in the Service of the Etat Indépendant du Congo. With Maps, Portraits, and other Illustrations. 8vo. 16s.
- WESTMINSTER ASSEMBLY. Minutes of the Westminster Assembly, while engaged in preparing their Directory for Church Government, Confession of Faith, and Catechisms (November 1644 to March 1649). Edited by the Rev. Professor ALEX. T. MITCHELL, of St Andrews, and the Rev. JOHN STRUTHERS, LL.D. With a Historical and Critical Introduction by Professor Mitchell. 8vo, 15s.
- WHITE. The Eighteen Christian Centuries. By the Rev. JAMES WHITE. Seventh Edition, post 8vo, with Index, 6s.
- History of France, from the Earliest Times. Sixth Thousand, post 8vo, with Index, 6s.
- WHITE. Archæological Sketches in Scotland—Kintyre and Knapdale. By Colonel T. P. WHITE, R.E., of the Ordnance Survey. With numerous Illustrations. 2 vols. folio, £4, 4s. Vol. I., Kintyre, sold separately, £2, 2s.
- The Ordnance Survey of the United Kingdom. A Popular Account. Crown 8vo, 5s.
- WICKS. Golden Lives. The Story of a Woman's Courage. By FREDERICK WICKS. Cheap Edition, with 120 Illustrations. Illustrated Boards. 8vo, 2s. 6d.
- WILLIAMSON. The Horticultural Exhibitors' Handbook. A Treatise on Cultivating, Exhibiting, and Judging Plants, Flowers, Fruits, and Vegetables. By W. WILLIAMSON, Gardener. Revised by MALCOLM DUNN, Gardener to His Grace the Duke of Buccleuch and Queensberry, Dalkeith Park. Crown 8vo, 3s. 6d.
- WILLIAMSON. Poems of Nature and Life. By DAVID R. WILLIAMSON, Minister of Kirkmaiden. Fcap. 8vo, 3s.
- WILLS AND GREENE. Drawing-room Dramas for Children. By W. G. WILLS and the Hon. Mrs GREENE. Crown 8vo, 6s.
- WILSON. Works of Professor Wilson. Edited by his Son-in-Law, Professor FERRIER. 12 vols. crown 8vo, £2, 8s.
- Christopher in his Sporting-Jacket. 2 vols., 8s.
- Isle of Palms, City of the Plague, and other Poems. 4s.
- Lights and Shadows of Scottish Life, and other Tales. 4s.
- Essays, Critical and Imaginative. 4 vols., 16s.
- The Noctes Ambrosianæ. 4 vols., 16s. [8vo, 4s.]
- Homer and his Translators, and the Greek Drama. Crown
- WINGATE. Lily Neil. A Poem. By DAVID WINGATE. Crown 8vo, 4s. 6d.
- WORDSWORTH. The Historical Plays of Shakspeare. With Introductions and Notes. By CHARLES WORDSWORTH, D.C.L., Bishop of St. Andrews. 3 vols. post 8vo, cloth, each price 7s. 6d., or handsomely bound in half-calf, each price 9s. 9d.
- WORSLEY. Poems and Translations. By PHILIP STANHOPE WORSLEY, M.A. Edited by EDWARD WORSLEY. 2d Ed., enlarged. Fcap. 8vo, 6s.
- YATE. England and Russia Face to Face in Asia. A Record of Travel with the Afghan Boundary Commission. By Captain A. C. YATE, Bombay Staff Corps. 8vo, with Maps and Illustrations, 21s.
- YATE. Northern Afghanistan; or, Letters from the Afghan Boundary Commission. By Major C. E. YATE, C.S.I., C.M.G. Bombay Staff Corps, F.R.G.S. 8vo, with Maps. 18s.
- YOUNG. A Story of Active Service in Foreign Lands. Compiled from letters sent home from South Africa, India, and China, 1856-1882. By Surgeon-General A. GRAHAM YOUNG, Author of 'Crimean Cracks.' Crown 8vo, Illustrated, 7s. 6d.
- YULE. Fortification: for the Use of Officers in the Army, and Readers of Military History. By Col. YULE, Bengal Engineers. 8vo, with numerous Illustrations, 10s. 6d.




UNIVERSITY OF CALIFORNIA LIBRARY
BERKELEY

Return to desk from which borrowed.

This book is DUE on the last date stamped below.

FEB 17 1948

24 Jan '49 RW



5655

25

50973

